

The book cover features a deep red, textured background. A large, ornate embossed border frames the entire cover. At the top center, there are three circular crests. The left crest contains a globe with vertical lines and the words 'PATENT' and 'TRADE' around it. The middle crest shows a swan. The right crest depicts an eagle with spread wings perched on a base. The text is printed in a gold-colored, elegant script font.

Isaac Nash & Sons,

Wollaston Mills,

Stourbridge.

In consequence of the great expense incurred in the production of this Catalogue, it is particularly requested that it be kept as a book of reference. Only a limited number having been printed, a second copy cannot be supplied.

Registered No. 1955

Customers are invited to keep this Catalogue intact, in order that it may be revised or replaced at any future time.

The Designs, Contents, and General Arrangement are protected by Copyright.



Cancels all Previous Lists.

1899.

THE MANUFACTURES OF

Isaac Nash & Sons,



WOLLASTON MILLS,

STOURBRIDGE,

ENGLAND.

Subject to alteration without notice.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



LONDON AND COUNTRY SHOVELS.

41 LONDON SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.
000	8	$\times 10\frac{1}{2}$	27/-
00	$8\frac{1}{2}$	$\times 11$	28/-
0	9	$\times 11\frac{1}{2}$	29/-
1	$9\frac{1}{2}$	$\times 12$	30/-
2	10	$\times 12\frac{1}{2}$	32/-
3	$10\frac{1}{2}$	$\times 13$	34/-
4	11	$\times 13\frac{1}{2}$	36/-
5	$11\frac{1}{2}$	$\times 14$	38/-
6	12	$\times 14\frac{1}{2}$	41/-

Rivetted Eye Handles 2/- per doz. extra.

528 LONDON SHOVELS.

Long Straps, Rivetted Eye Handles.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Ordinary.	Cast Steel Faced.
000	8	$\times 10\frac{1}{2}$	31/-	39/-
00	$8\frac{1}{2}$	$\times 11$	32/-	40/-
0	9	$\times 11\frac{1}{2}$	33/-	41/-
1	$9\frac{1}{2}$	$\times 12$	34/-	42/-
2	10	$\times 12\frac{1}{2}$	36/-	44/-
3	$10\frac{1}{2}$	$\times 13$	38/-	46/-
4	11	$\times 13\frac{1}{2}$	40/-	48/-
5	$11\frac{1}{2}$	$\times 14$	42/-	50/-
6	12	$\times 14\frac{1}{2}$	45/-	53/-

Treaded ... 2/- per doz. extra.

Strap-treaded ... 4/- " "

Extra strong ... 2/- " "

45 NORFOLK SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Ordinary.	Cast Steel Faced.
000	8	$\times 11$	32/-	40/-
00	$8\frac{1}{2}$	$\times 11\frac{1}{2}$	34/-	42/-
0	9	$\times 12$	36/-	44/-
1	$9\frac{1}{2}$	$\times 12\frac{1}{2}$	38/-	46/-
2	10	$\times 13$	40/-	48/-

Rivetted Eye Handles, 2/- per doz. extra.

46 NORFOLK SPADE SHOVELS.

Size No.	Top. Inches.	Bottom. Inches.	Length. Inches.	Per Doz.	
				Ordinary.	Cast Steel Faced.
1	$7\frac{3}{4}$	$\times 6$	$\times 11$	36/-	44/-
2	$8\frac{1}{4}$	$\times 6\frac{1}{2}$	$\times 11\frac{1}{2}$	38/-	46/-
3	$8\frac{3}{4}$	$\times 7$	$\times 12$	40/-	48/-
4	$9\frac{1}{4}$	$\times 7\frac{1}{2}$	$\times 12\frac{1}{2}$	42/-	50/-

Rivetted Eye Handles, 2/- per doz. extra.

529 CROCKING SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Ordinary.	Cast Steel Faced.
000	8	$\times 10\frac{1}{2}$	27/-	35/-
00	$8\frac{1}{2}$	$\times 11$	28/-	36/-
0	9	$\times 11\frac{1}{2}$	29/-	37/-
1	$9\frac{1}{2}$	$\times 12$	30/-	38/-
2	10	$\times 12\frac{1}{2}$	32/-	40/-

Rivetted Eye Handles, 2/- per doz. extra.

530

RAILWAY SHOVELS.

Long Straps.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Ordinary.	Cast Steel Faced.
000	8	$\times 10\frac{1}{2}$	29/-	37/-
00	$8\frac{1}{2}$	$\times 11$	30/-	38/-
0	9	$\times 11\frac{1}{2}$	31/-	39/-
1	$9\frac{1}{2}$	$\times 12$	32/-	40/-
2	10	$\times 12\frac{1}{2}$	34/-	42/-

47 NORFOLK FURROWS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Ordinary.	Cast Steel Faced.
1	$6\frac{1}{2}$	$\times 10\frac{1}{2}$	32/-	40/-
2	7	$\times 11$	34/-	42/-
3	$7\frac{1}{2}$	$\times 11\frac{1}{2}$	36/-	44/-


Rivetted Eye Handles, 2/- per doz. extra.

48 LONDON WATER FURROWS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Ordinary.	Cast Steel Faced.
0	6	$\times 10\frac{1}{2}$	27/-	35/-
1	$6\frac{1}{2}$	$\times 11$	28/-	36/-
2	7	$\times 11\frac{1}{2}$	30/-	38/-
3	$7\frac{1}{2}$	$\times 12$	32/-	40/-

Rivetted Eye Handles, 2/- per doz. extra.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



COUNTRY SHOVELS.

42 TAPER OR MARL SHOVELS.					532 MOULDERS' SHOVELS. Long Straps.				
Size No.	Top. Inches.	Bottom. Inches.	Length.	Per Doz. Ordinary. Cast Steel Faced.	Size No.	Width. Inches.	Length. Inches.	Per Doz. Ordinary. Cast Steel Faced.	
1	9½	8	12½	30/- ... 38/-	00	8½	11	34/- ... 42/-	
2	10	8½	13	32/- ... 40/-	0	9	11½	35/- ... 43/-	
3	10½	9	13½	34/- ... 42/-	1	9½	12	36/- ... 44/-	
4	11	9½	14	36/- ... 44/-	2	10	12½	38/- ... 46/-	
Three-Rivet Straps ... 2/- per doz. extra. Rivettted Eye Handles, 2/-					Rivettted Eye Handles, 2/- per doz. extra.				
531 STAFFORDSHIRE OR SOLID TAPER SHOVELS.					533 SWORD OR CENTRE STRAP MOULDERS' SHOVELS.				
Size No.	Top. Inches.	Bottom. Inches.	Length.	Per Doz. Ordinary. Cast Steel Faced.	Size No.	Width. Inches.	Length. Inches.	Per Doz. Solid Steel. Cast Steel Faced.	
1	9½	8	12	40/- ... 48/-	00	8½	11	44/- ... 52/-	
2	10	8½	12½	42/- ... 50/-	0	9	11½	45/- ... 53/-	
3	10½	9	13	44/- ... 52/-	1	9½	12	46/- ... 54/-	
4	11	9½	13½	46/- ... 54/-	2	10	12½	48/- ... 56/-	
Rivettted Eye Handles, 2/- per doz. extra.					Rivettted Eye Handles, 2/- per doz. extra.				
43 BURTON SHOVELS.					534 SOLID BACK ALL STEEL SHOVELS. Rivettted Front Straps, Rivettted Eye Handles.				
Size No.	Width. Inches.	Length. Inches.	Per Doz.		Size No.	Width. Inches.	Length. Inches.	Per Doz.	
0	9	11½	29/-		0	9	11½	31/-	
1	9½	12	30/-		1	9½	12	33/-	
2	10	12½	32/-		2	10	12½	35/-	
3	10½	13	34/-		3	10½	13	37/-	
4	11	13½	36/-		4	11	13½	39/-	
Rivettted Eye Handles, 2/- per doz. extra.					5	12	14	41/-	
3 NORRIS'S PATTERN "EXCELSIOR" SHOVELS. Best Cast Steel Plates.					535 RIVETTLED ALL STEEL SHOVELS. Rivettted Back and Front Straps, Rivettted Eye Handles				
Size No.	Width. Inches.	Length. Inches.	Per Doz.		Size No.	Width. Inches.	Length. Inches.	Per Doz.	
1	9½	12	38/-		0	9	11½	31/-	
2	10	12½	40/-		1	9½	12	33/-	
3	10½	13	42/-		2	10	12½	35/-	
4	11	13½	44/-		3	10½	13	37/-	
5	11½	14	46/-		4	11	13½	39/-	
6	12	14½	49/-		5	11½	14	41/-	
7	12½	15	52/-		6	12	14½	43/-	
8	13	15½	55/-		7	12½	15	45/-	
9	13½	16	58/-		8	13	15½	47/-	
10	14	16½	61/-						
Rivettted Eye Handles, 2/- per doz. extra. Three-Rivet Straps 2/- " "									

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



LONDON AND COUNTRY SHOVELS.

57 OPEN SOCKET SQUARE SHOVELS. Rivetted Eye Handles.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			*Hammered.	Rolled.
1	9½	12	25/-	21/-
2	10	12½	26/-	22/-
3	10½	13	27/-	23/-
4	11	13½	28/-	24/-
5	11½	14	29/-	25/-
6	12	14½	31/-	27/-
7	12½	15	33/-	29/-
8	13	15½	35/-	31/-
9	13½	16	37/-	34/-
10	14	16½	41/-	37/-
11	14½	17	44/-	40/-
12	15	17½	48/-	44/-

* We draw particular attention to these, each blade being HAMMERED from a solid bar of Steel; they are made specially strong at the neck and down the centre. One hammered blade will last longer than two of the ordinary rolled blades.

58 OPEN SOCKET SQUARE SHOVELS. Crutch Handles. 4/- per doz. less than No. 57.

51 BRISTOL SHOVELS. Square Mouth.

Size No.	Width. Inches.	Per Doz.
0	8	20/-
1	8½	22/-
2	9	24/-
3	10	26/-
4	11	28/-
5	12	30/-
6	12½	32/-
7	13	34/-
8	13½	36/-
9	14	38/-

52 BRISTOL SHOVELS. Round Mouth. Sizes and Prices as No. 51.

64 C.S. "UNIVERSAL" BRISTOL SHOVELS. Round Mouth.

Size No.	Top. Inches.	Bottom. Inches.	Length. Inches.	Per Doz.	
				Trade	Mark.
1	9½	8	11½	25/-	
2	10	8½	12	26/-	
3	10½	9	12½	27/-	
4	11	9½	13	28/-	
5	11½	10	13½	29/-	
6	12	10½	14	31/-	
7	12½	11	14½	33/-	
8	13	11½	15	35/-	
9	13½	12	15½	38/-	
10	14	12½	16	41/-	
11	14½	13	16½	44/-	
12	15	13½	17	48/-	

64A. C.S. "UNIVERSAL" BRISTOL SHOVELS. Square Mouth. Sizes and Prices as No. 64.

70 C.S. "UNIVERSAL" BARN SHOVELS. Rivetted Eye Handles.

Top. Inches.	Bottom. Inches.	Length. Inches.	Per Doz.	
			Trade	Mark.
10½	12½	16½	44/-	

54 CHESHIRE LANGET SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Solid Steel.	Cast Steel Faced.
1	9½	12	40/-	48/-
2	10	12½	42/-	50/-
3	10½	13	44/-	52/-
4	11	13½	46/-	54/-
5	11½	14	48/-	56/-
6	12	14½	51/-	59/-
7	12½	15	54/-	62/-
8	13	15½	57/-	65/-
9	13½	16	60/-	68/-

55 CHESHIRE SOCKET SHOVELS.

Size No.	Width. Inches.	Length. Inches.	Per Doz.	
			Solid Steel.	Cast Steel Faced.
1	9½	12	42/-	50/-
2	10	12½	44/-	52/-
3	10½	13	46/-	54/-
4	11	13½	48/-	56/-
5	11½	14	50/-	58/-
6	12	14½	53/-	61/-
7	12½	15	56/-	64/-
8	13	15½	59/-	67/-
9	13½	16	62/-	70/-

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



LONDON AND COUNTRY COAL SHOVELS.

59

C.S. "UNIVERSAL" COAL SHOVELS.

Open Sockets, Double Rivetted Eye Handles.

Trade  Mark.

Size No.	Width.	Inches.	Length.	Per doz.
7	12½	×	15	35/-
8	13	×	15½	39/-

60

C.S. "UNIVERSAL" COAL SHOVELS.

Open Sockets, Double Rivetted Eye Handles.

Trade  Mark.

Size No.	Width.	Inches.	Length.	Per dozen.	Steel Guards.	Leather Guards.
7	12½	×	15	42/-		50/-
8	13	×	15½	44/-		52/-

63

C.S. "UNIVERSAL" CHARGING SHOVELS.

Open Sockets, Crutch Handles.

Trade  Mark.

Size No.	Top.	Bottom.	Length.	Per dozen.
5	11	× 10½	× 14	29/-
6	11½	× 11	× 15	31/-
7	12	× 11½	× 15½	33/-
8	12½	× 12	× 16	35/-
9	13	× 12½	× 16½	38/-
10	13½	× 13	× 17	41/-

536

C.S. "UNIVERSAL" "YARMOUTH" COAL SHOVELS.

Trade  Mark.

Top.	Bottom.	Length.	Per dozen.
15½	× 10½	× 16½	47/-

537

OPEN SOCKET STOVE SHOVELS.

No. 00	0	1	2	3	4
5½	6	6½	7	7½	8 inch
11/6	12/-	12/6	14/-	15/6	17/- per doz.

71

LONDON COAL SHOVELS.

Small Pointed.

56/- per dozen.

73

COAL TRIMMER'S SHOVELS.

With Cape, Long Straps and Rivetted Eye Handles.

12	13	14	15 inch.
58/-	60/-	62/-	64/- doz.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



COAL SHOVELS.

50

LIVERPOOL COAL SHOVELS.

14	15	16	17	18 inches wide.
40/-	42/-	44/-	46/-	48/- per dozen.

56

SOLID LOCOMOTIVE STOKING SHOVELS

Width.	Length.		Per Doz.	
Inches.			Solid Steel.	Cast Steel Faced.
9 $\frac{1}{2}$	× 18	...	60/-	68/-
9 $\frac{3}{4}$	× 19	...	62/-	70/-
10	× 20	...	64/-	72/-

69

C.S. "UNIVERSAL" LOCOMOTIVE STOKING SHOVELS.

Width.	Length.		Per Doz.
Inches.			
9 $\frac{1}{2}$	× 16	...	44/-
9 $\frac{1}{2}$	× 18	...	44/-
9 $\frac{3}{4}$	× 19	...	46/-
10	× 20	...	48/-

538

C.S. "UNIVERSAL" RETORT CHARGING SHOVELS.


Width.	Length.		Per Doz.
Inches.			
9	× 16	...	42/-

Other sizes to order.

Long Handles, 3ft. and above, 2/- per dozen extra.

539

C.S. "UNIVERSAL" PAN COAL SHOVELS.

		Trade 		Mark.	
12	13	14	15	16	17 inches.
42/-	43/-	44/-	45/-	46/-	48/- per dozen.

540

ALL STEEL BRIGHT CARDIFF COAL TRIMMERS' SHOVELS.



5 $\frac{1}{2}$ to 6lbs. each ... 82/- per dozen.

541

FUSSELLS' NEWPORT COAL TRIMMERS' SHOVELS.

60/3 per dozen.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING




MUD SCOOPS, MINERS' SHOVELS, PEEL PLATES, AND PUDDLERS' BITS.

MUD SCOOPS.

65

C.S. "UNIVERSAL" MUD SCOOPS.

Trade		Mark.		
				
Width.	Length.			Per Doz.
Inches.				
9½	16	×	...	50/-

66

SOLID FRONT STRAP MUD SCOOPS.

Width.	Length.			Per Doz.
Inches.				
9½	16	×	...	55/-

67



IMPROVED RIVETTED PLATE MUD SCOOPS.

Width.	Length.			Per Doz.
Inches.				
9½	16	×	...	55/-

68

C.S. "UNIVERSAL" BIRMINGHAM MUD SCOOPS.

Rivetted Eye Handles.

Trade		Mark.		
				
Width.	Length.			Per Doz.
Inches.				
11	13½	×	..	56/-

MINERS' SHOVELS.

NO.									PER CWT.
542	Welsh Pattern	55/-
543	Cowbridge Pattern	66/-
544	Square "	55/-
545	St. Austell "	55/-
546	Devon "	66/-

Miners' Shovels made to any pattern.

136S

SOCKET PEEL PLATES.

55/- per cwt.

136

PEEL PLATES TO WELD.

50/- per cwt.

547

PUDDLERS' BITS.

44/- per cwt.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.

SECTION II.

SPADES & DRAINING TOOLS.

Our Cast Steel Faced Spades and Draining Tools have a full weight of best Crucible Cast Steel, welded by means of a Chemical Flux on the front of each. Tools so made are superior to all others, as they are extremely durable, carry a bright surface in use, and retain a keen edge to the last.

DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.





LONDON AND COUNTRY SPADES.

9

LONDON TREADED SPADES.

Size No.	Width. Inches.	Length. Inches.	Per Doz.
00	6 $\frac{3}{4}$	10 $\frac{1}{4}$	28/-
0	7	11	29/-
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	30/-
2	7 $\frac{3}{4}$	12	32/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	34/-
4	8 $\frac{3}{4}$	13	36/-

Side Straps 2/- per doz. extra.
 Ribbed... .. 2/- " "
 Rivetted Eye Handles 2/- " "
 Extra Strong... .. 2/- " "

565

LONDON TREADED SPADES.

Long Straps, Side Straps, and
Rivetted Eye Handles.

Size No.	Width. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	36/-	44/-
2	7 $\frac{3}{4}$	12	38/-	46/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	40/-	48/-
4	8 $\frac{3}{4}$	13	42/-	50/-

10

LONDON TREADED SPADES.

Long Straps and Rivetted Eye Handles.

Size No.	Width. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
0	7	11	33/-	41/-
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	34/-	42/-
2	7 $\frac{3}{4}$	12	36/-	44/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	38/-	46/-
4	8 $\frac{3}{4}$	13	40/-	48/-

Ribbed... .. 2/- per doz. extra.
 Extra Strong 2/- " "

566

NURSERY SPADES.

Treaded, Extra Long and Side Straps, Ribbed,
Rivetted Eye Handles.

Size No.	Top. Inches.	Bottom. Inches.	Length. Inches.	Ordinary.	Per Doz. Cast Steel Faced.
1	7 $\frac{1}{2}$	6 $\frac{1}{2}$	11 $\frac{1}{2}$	40/-	48/-
2	7 $\frac{3}{4}$	6 $\frac{3}{4}$	12	42/-	50/-
3	8 $\frac{1}{4}$	7 $\frac{1}{4}$	12 $\frac{1}{2}$	44/-	52/-
4	8 $\frac{3}{4}$	7 $\frac{3}{4}$	13	46/-	54/-

507

WELSH TREADED SPADES.

(London Pattern.)

Sizes and Prices as No. 9.

17

NORFOLK SPADES.

Size No.	Top. Inches.	Bottom. Inches.	Length. Inches.	Black.	Per Doz. Bright.
1	7 $\frac{1}{2}$	6	10 $\frac{1}{2}$	38/-	46/-
2	8	6 $\frac{1}{2}$	11	40/-	48/-
3	8 $\frac{1}{2}$	7	11 $\frac{1}{2}$	42/-	50/-
4	9	7 $\frac{1}{2}$	12	44/-	52/-

Rivetted Eye Handles 2/- per doz. extra.
 Cast Steel Faced ... 8/- " "

11

THICK TOP SPADES.

Long Straps.

Size No.	Width. Inches.	Length. Inches.	Ordinary	Per Doz. Cast Steel Faced.
0	7	11	32/-	40/-
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	34/-	42/-
2	7 $\frac{3}{4}$	12	36/-	44/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	38/-	46/-

Rivetted Eye Handles 2/- per doz. extra.

Taper Thick Top Spades same prices.

567


C.S. "UNIVERSAL" LONDON TREADED SPADES.

Rivetted Eye Handles.



Size No.	Width. Inches.	Length. Inches.	Per Doz.
1	7 $\frac{1}{2}$	11 $\frac{1}{2}$	25/-
2	7 $\frac{3}{4}$	12	27/-
3	8 $\frac{1}{4}$	12 $\frac{1}{2}$	29/-

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



COUNTRY SPADES.

14 HEREFORD CROWN BRIGHT SPADES.					24 STRAPPED GLOUCESTER SPADES.				
Size No.	Top. Bottom. Length. Inches.	Per Doz.			Size No.	Top. Bottom. Length. Inches.	Per Doz.		
		Ordinary.	Cast Steel Faced.				Ordinary.	Cast Steel Faced.	
1	7 $\frac{1}{4}$ × 7 $\frac{1}{2}$ × 11	42/-	...	50/-	0	6 $\frac{1}{2}$ × 7 × 10 $\frac{1}{2}$	30/-	...	38/-
2	7 $\frac{3}{4}$ × 8 × 11 $\frac{1}{2}$	44/-	...	52/-	1	7 × 7 $\frac{1}{2}$ × 11	32/-	...	40/-
3	8 $\frac{1}{4}$ × 8 $\frac{1}{2}$ × 12	46/-	...	54/-	2	7 $\frac{1}{2}$ × 8 × 11 $\frac{1}{2}$	34/-	...	42/-
4	8 $\frac{3}{4}$ × 9 × 12 $\frac{1}{2}$	48/-	...	56/-	3	8 × 8 $\frac{1}{2}$ × 12	36/-	...	44/-
21 BRISTOL SPADES.					28 SOLID GLOUCESTER SPADES. (Or Gabb's Pattern Spades.)				
Size No.	Top. Bottom. Length. Inches.	Per Doz.			Size No.	Top. Bottom. Length. Inches.	Per Doz.		
		Ordinary.	Cast Steel Faced.				Solid Steel.	Cast Steel Faced.	
0	6 × 6 $\frac{1}{2}$ × 10 $\frac{1}{2}$	29/-	...	37/-	0	6 $\frac{1}{2}$ × 7 × 10 $\frac{1}{2}$	38/-	...	46/-
1	6 $\frac{1}{2}$ × 7 × 11	30/-	...	38/-	1	7 × 7 $\frac{1}{2}$ × 11	40/-	...	48/-
2	7 × 7 $\frac{1}{2}$ × 11 $\frac{1}{2}$	32/-	...	40/-	2	7 $\frac{1}{2}$ × 8 × 11 $\frac{1}{2}$	42/-	...	50/-
3	7 $\frac{1}{2}$ × 8 × 12	34/-	...	42/-	3	8 × 8 $\frac{1}{2}$ × 12	44/-	...	52/-
Half bright				4/- per doz. extra.	4				46/- ... 54/-
All bright				8/- "					All bright, 8/- per doz. extra.
22 DORSET, SOMERSET, WILTS, AND WARMINSTER SPADES.					568 SOLID PIPE SPADES.				
Size No.	Width. Length. Inches.	Per Doz.			Size No.	Width. Length. Inches.	Per Doz.		
		Ordinary.	Cast Steel Faced.				Solid Steel.	Cast Steel Faced.	
00	6 × 10 $\frac{1}{2}$	30/-	...	38/-	1	7 $\frac{1}{2}$ × 11 $\frac{1}{2}$	42/-	...	50/-
0	6 $\frac{1}{2}$ × 11	32/-	...	40/-	2	7 $\frac{3}{4}$ × 12	44/-	...	52/-
1	7 × 11 $\frac{1}{2}$	34/-	...	42/-	3	8 $\frac{1}{4}$ × 12 $\frac{1}{2}$	46/-	...	54/-
2	7 $\frac{1}{2}$ × 12	36/-	...	44/-	4	8 $\frac{3}{4}$ × 13	48/-	...	56/-
3	8 × 12 $\frac{1}{2}$	38/-	...	46/-	Four-Rivet Straps, 2/- per doz. extra.				
Three-Rivet Straps				2/- per doz. extra.					
Side Straps				2/- "					
Three Quarter Bright				6/- "					
20 LONG KNOB PIPE SPADES. Three-Rivet Straps.					23 JERSEY SPADES.				
Size No.	Width. Length. Inches.	Per Doz.			Size No.	Top. Bottom. Length. Inches.	Per Doz.		
		Ordinary.	Cast Steel Faced.				Ordinary.	Cast Steel Faced.	
1	7 $\frac{1}{2}$ × 11 $\frac{1}{2}$	34/-	...	42/-	1	8 $\frac{1}{2}$ × 9 $\frac{1}{4}$ × 11	38/-	...	46/-
2	7 $\frac{3}{4}$ × 12	36/-	...	44/-	2	9 × 9 $\frac{3}{4}$ × 11 $\frac{1}{2}$	40/-	...	48/-
3	8 $\frac{1}{4}$ × 12 $\frac{1}{2}$	38/-	...	46/-	3	9 $\frac{1}{4}$ × 10 × 12	42/-	...	50/-
4	8 $\frac{3}{4}$ × 13	40/-	...	48/-	All bright, 8/- per doz. extra.				
Ribbed				2/- per doz. extra.					
Riveted Eye Handles				2/- "					
Four-Rivet Straps				2/- "					
Two-Rivet Straps				2/- less.					

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



COUNTRY SPADES.

FUSSELLS' SPECIAL PATTERNS.

571

FUSSELLS' MARSH SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
00	5½	× 12	31/-	... 37/-
1	6	× 13	33/-	... 39/-
1½	6	× 13½	34/-	... 40/-
2	6¼	× 14	35/-	... 41/-
3	6	× 14½	37/-	... 43/-

Treaded ... 2/- per doz. extra.

Three-Rivet Straps ... 2/- " "

572

FUSSELLS' DELVER SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
4	6½	× 12¼	33/-	... 39/-
5	6¾	× 14	35/-	... 41/-

Treaded, 2/- per doz. extra.

575

FUSSELLS' SOMERSET, WILTS, AND DORSET SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
00	6	× 10½	29/-	... 35/-
0	6½	× 11	31/-	... 37/-
1	7	× 11½	33/-	... 39/-
2	7½	× 12	35/-	... 41/-
3	8	× 12½	37/-	... 43/-

Side Straps ... 2/- per doz. extra.

Three-Rivet Straps ... 2/- " "

576

FUSSELLS' DROWNING SPADES.

Ordinary.	Cast Steel Faced.
40/-	46/- per doz.

577

FUSSELLS' MALMESBURY SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
0	6½	× 11	33/-	... 39/-
1	7	× 11½	35/-	... 41/-
2	7½	× 12	37/-	... 43/-

Three-Rivet Straps, 2/- per doz. extra.

573

FUSSELLS' BULL SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
8	5¾	× 13	33/-	... 39/-
9	6	× 14	35/-	... 41/-

574

FUSSELLS' TEAZLE SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
10	5½	× 15½	34/-	... 40/-
11	5½	× 16½	36/-	... 42/-
12	5¾	× 17½	38/-	... 44/-

578

FUSSELLS' EXETER SPADES.

Size No.	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
2	7½	× 12	38/-	... 44/-
3	8	× 12½	40/-	... 46/-
4	8½	× 13	42/-	... 48/-
5	8¾	× 13½	44/-	... 50/-
6	9	× 14	46/-	... 52/-

Four-Rivet Straps, 2/- per doz. extra.

579

FUSSELLS' SOMERSET SOCKET SPADES.

	Width. Inches.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
	6	× 10½	27/-	... 33/-
	6½	× 11	29/-	... 35/-
	7	× 11½	31/-	... 37/-
	7½	× 12	33/-	... 39/-

Riveted Eye Handles 2/- per doz. extra.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



571



572



573



574

Registered
Trade Marks



FUSSELL
MELLS

JAS. FUSSELL
MELLS

JAS. FUSSELL MELLS



575



576



577



578



579

DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



DRAINING TOOLS.

76

STRAPPED DRAINING TOOLS.

Three-Rivet Straps.

Top.	Bottom.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
6	× 3	× 16	41/-	49/-
6	× 4	× 16	42/-	50/-
6	× 4½	× 16	43/-	51/-
6	× 3½	× 18	44/-	52/-
6	× 4	× 18	45/-	53/-
6	× 4½	× 18	46/-	54/-
6	× 3½	× 20	47/-	55/-
6	× 4	× 20	48/-	56/-

Four-Rivet Straps ... 2/- per doz. extra.

Rivettted Eye Handles 2/- "

78

SOCKET DRAINING TOOLS.

Top.	Bottom.	Length.	Per Doz.	
			Solid Steel.	Cast Steel Faced.
6	× 3	× 16	53/-	61/-
6	× 4	× 16	54/-	62/-
6	× 4½	× 16	55/-	63/-
6	× 3½	× 18	56/-	64/-
6	× 4	× 18	57/-	65/-
6	× 4½	× 18	58/-	66/-
6	× 3½	× 20	59/-	67/-
6	× 4	× 20	60/-	68/-

79

GRAFTING TOOLS.

Three-Rivet Straps.

Size No.	Width.	Length.	Per Doz.	
			Ordinary.	Cast Steel Faced.
1	5½	× 12	36/-	44/-
2	6½	× 13	38/-	46/-
3	6½	× 14	40/-	48/-

Four-Rivet Straps ... 2/- per doz. extra.

Rivettted Eye Handles 2/- "

84

CLAY SPADES.

Two-Rivet Straps.

Size No.	Top.	Bottom.	Length.	Per Doz.	
				Ordinary.	Cast Steel Faced.
00	4½	× 5½	× 12	30/-	38/-
0	5½	× 6	× 12½	31/-	39/-
1	5½	× 6½	× 13	32/-	40/-
2	6½	× 7	× 13½	34/-	42/-

Three-Rivet Straps ... 2/- per doz. extra.

Rivettted Eye Handles 2/- "

81 & 82

DRAINING SCOOPS.

Width.	No. 81	Per Doz.		No. 82
		To Pull.	To Push.	
2½	42/-	42/-
3	44/-	44/-
3½	46/-	46/-

83

HEREFORD MUD SCOOPS.

Width.	Handled.	Per Doz.		Not Handled.
		Handled.	Not Handled.	
5	23/-	13/-
6	24/-	14/-
7	26/-	16/-
8	28/-	18/-

580

FLY TOOLS.

4	4½	5	5½	6 in. wide.
48/-	49/-	50/-	52/-	54/- per doz.

581

RABBITING SPADES.

Cast Steel Faced.

Double Strapped Sockets, Clapsed Crutch Handles.

Top.	Bottom.	Length.	Per Doz.
Inches.	Inches.		
6	× 5	× 13	56/-

Hook Handles same price.

All bright, 8/- per doz. extra.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



SECTION III.

CAST STEEL FORKS.

DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.





CAST STEEL DIGGING AND AGRICULTURAL FORKS.

500 ORDINARY CAST STEEL DIGGING FORKS. Black Square Prongs. "THE RELIANCE" or "THE CHALLENGE" BRAND.

Prongs.	Width. Inches.	Length. Inches.	Per Doz.	
			CRUTCH HANDLES.	RIVETTED EYE HANDLES.
3	7½	13	23/6	25/-
4	8	13	23/6	25/-
5	8½	13	31/6	33/-

501 SUPERIOR CAST STEEL DIGGING FORKS. Black Square Prongs. "UNION JACK" BRAND.

3	7½ × 13	26/6 ... 28/-
4	8 × 13	28/6 ... 30/-
5	8½ × 13	37/- ... 38/6

87 NASH'S BEST CAST STEEL DIGGING FORKS. Black Square Prongs, Rivetted Eye Handles.

3	7½ × 13	33/-
4	8 × 13	35/-
5	8½ × 13	41/-
6	9 × 14	50/-

Extra strong, 5/- per doz. extra.

94 NASH'S EXTRA QUALITY CAST STEEL DIGGING FORKS. Square Prongs, Double Strapped Sockets, Rivetted Eye Handles.

			BLACK.	ALL BRIGHT OR BRIGHT AND BLUED.*
3	7½ × 13		37/-	47/-
4	8 × 13		40/-	50/-
5	8½ × 13		50/-	62/-
6	9 × 14		64/-	78/-

105 NASH'S BEST EXTRA QUALITY CAST STEEL DIGGING FORKS. Square and Oval Prongs, Double Strapped Sockets, Rivetted Eye Handles.

			ALL BRIGHT OR BRIGHT AND BLUED.*
3	7½ × 13		49/-
4	8 × 13		52/-
5	8½ × 13		64/-
6	9 × 14		80/-

620 CAST STEEL EXTRA STRONG NURSERY FORKS.

Black Square Prongs, Double Rivetted Eye
Handles.

Prongs.	Width. Inches.	Length.	Per Doz.
3	7½	13	52/-
4	8	13	65/-

621 CAST STEEL EXTRA STRONG NURSERY FORKS.

Treaded.

Black Square Prongs, Double Rivetted Eye
Handles.

3	7½ × 13	62/-
4	8 × 13	75/-

110 CAST STEEL BOYS' DIGGING FORKS. Square Prongs, Rivetted Eye Handles.

			BLACK.	BRIGHT AND BLUED.*
4	7 × 11		25/-	37/-
5	7½ × 12		33/-	45/-

622 CAST STEEL WINDOW FORKS OR MULE SPADES.



2	7 × 11	40/-
3	7½ × 12	48/-

85 CAST STEEL CLAY FORKS. Black Square Prongs, flat points, Rivetted Eye Handles.

2	7 × 12½	33/-
---	---------	------

* RED—Same price.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



CAST STEEL MANURE FORKS.

503

ORDINARY

CAST STEEL MANURE FORKS.

Black Square Prongs.

"THE RELIANCE" or "THE CHALLENGE" BRAND.

Prongs.	Width. Inches.	Length. Inches.	Per Doz.	
			CRUTCH HANDLES.	RIVETTED EYE OR LONG HANDLES.
3	8	12½	23/6	25/-
4	8½	13	23/6	25/-
5	9	13	31/6	33/-

90

SUPERIOR

CAST STEEL MANURE FORKS.

Black Square Prongs.

"UNION JACK" BRAND.

3	8	12½	26/6	28/-
4	8½	13	28/6	30/-
5	9	13	37/-	38/6

504

NASH'S BEST

CAST STEEL MANURE FORKS.

Double Strapped Sockets. Black Square Prongs.

3	8	12½	35/6	37/-
4	8½	13	38/6	40/-
5	9	13	48/6	50/-
6	9½	13½	62/6	64/-

505

**CAST STEEL SPREADING
FORKS.**

Long or Crutch Handles.

			BLACK SQUARE PRONGS.	BRIGHT AND BLUED* OVAL PRONGS.
3	7	11	24/-	33/-
4	7	11	25/-	31/-

122

**CAST STEEL MANURE
DRAGS.**

Black Square Prongs. Handles any length to 6 ft.

Prongs.	Width. Inches.	Length. Inches.	Per Doz.
3	8	12	33/-
4	8½	12	34/-

Longer Handles 2/- per foot per dozen extra.

506

**CAST STEEL MANURE
DRAGS.**

Bright and Blued* Oval Prongs. Handles any length to 6 feet.

3	8	12	43/-
4	8½	12	44/-

Longer Handles 2/- per foot per dozen extra.

623

**CAST STEEL
AMERICAN PATTERN MANURE FORKS.**

Strapped Ferrules.

Half Bright and Blued* Oval Elastic Prongs.

			CRUTCH HANDLES.	RIVETTED EYE OR LONG HANDLES
4	8½	13	28/-	29/-
5	9	13	38/-	39/-

Iron Eye Handles 2/- per doz. extra.

104

**CAST STEEL
ELASTIC PRONG MANURE FORKS.**

Bright and Blued* Oval Prongs, Rivetted Eye,
Iron Eye, Long or Crutch Handles.

3	8	12½	33/-
4	8½	13	34/-
5	9	13	44/-
6	9½	13½	50/-

624


**CAST STEEL LONDON
MANURE FORKS.**

Black Round Prongs. Rivetted Eye Handles.

6	10	14	64/-
---	----	----	------

* RED—Same price,

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



CAST STEEL POTATO FORKS.

625

ORDINARY

CAST STEEL POTATO FORKS.

Black Flat Prongs.

"THE RELIANCE" or "THE CHALLENGE" BRAND.

Prongs.	Width. Inches.	Length.	Per Doz.	
			CRUTCH HANDLES.	RIVETTED EYE HANDLES.
3	7 $\frac{3}{4}$	× 12	28/6	... 30/-
4	8	× 12 $\frac{1}{2}$	28/6	... 30/-
5	8 $\frac{1}{2}$	× 13	38/6	... 40/-

98

SUPERIOR

CAST STEEL POTATO FORKS.

Black Flat Prongs.

"UNION JACK" BRAND.

3	7 $\frac{3}{4}$	× 12	32/6	... 34/-
4	8	× 12 $\frac{1}{2}$	33/6	... 35/-
5	8 $\frac{1}{2}$	× 13	43/6	... 45/-

626

NASH'S BEST

CAST STEEL POTATO FORKS.

Black Flat Prongs, Double Strapped Sockets.

3	7 $\frac{3}{4}$	× 12	39/6	... 41/-
4	8	× 12 $\frac{1}{2}$	40/6	... 42/-
5	8 $\frac{1}{2}$	× 13	50/6	... 52/-

99

**CAST STEEL CHESHIRE POTATO
FORKS.**

Black Square Prongs, Crutch Handles.

"THE RELIANCE" or "THE CHALLENGE" BRAND.

4	8	× 11 $\frac{1}{2}$	23/-
---	---	--------------------	------

100

**CAST STEEL DIAMOND BACK
POTATO FORKS.**

Bright Fronts.

			Per Doz.		ALL BRIGHT AND BLUED* EXTRA.
			CRUTCH HANDLES.	RIVETTED EYE HANDLES.	
3	7 $\frac{3}{4}$	× 12	37/6	... 39/-	5/-
4	8	× 12 $\frac{1}{2}$	38/6	... 40/-	6/-
	9	× 13	42/6	... 44/-	7/-
5	8 $\frac{1}{2}$	× 13	48/6	... 50/-	8/-

Double Strapped Sockets, 10/- per doz. extra.

627

**CAST STEEL JERSEY POTATO
FORKS.**

Bright and Blued* Oval Prongs.

34in. Iron Eye Handles.

Prongs.	Top.	Bottom. Inches.	Length.	Per Doz.
5	8 $\frac{1}{4}$	× 8 $\frac{3}{4}$	× 13 $\frac{1}{2}$	44/-

628

**CAST STEEL WELSH POTATO
FORKS.**

3	5	× 9	32/-
4	6	× 9	40/-

629

**CAST STEEL POTATO LOADING
FORKS.**

10	12 $\frac{1}{2}$	× 14 $\frac{1}{2}$	112/-
----	------------------	--------------------	-------

* RED—Same price.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



625



98



626



99



100

SECTION



627



628



629

DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING



CAST STEEL MALTING, HOP, ASPARAGUS FORKS, &c.

92

CAST STEEL MALTING FORKS.

Prongs.		Black Flat Prongs.				Per dozen.
		Width.	Length.			
		Inches.				
5	...	11	×	14	...	78/-
6	...	11½	×	14	...	92/-
7	...	12	×	14	...	106/-
8	...	12	×	15	...	120/-
9	..	12½	×	15	..	134/-

108

CAST STEEL FARNHAM HOP FORKS.

Prongs.		Width.	Length.		Per dozen.
		Inches.			
3	...	8½	× 14	...	57/-
4	...	9	× 14½	...	60/-

117

CAST STEEL ASPARAGUS FORKS.

Prongs.		Width.	Length.		Per dozen.
		Inches.			
4	...	9	×	14	...
					48/-

Double Strapped Sockets 10/- per doz. extra.

123

POTATO STRAINERS.


9 Bars.

13 × 13	14 × 14	15 × 15 inches.
48/-	49/-	50/- per dozen.

POTATO SCOOPS.

No.		Width.	Length.		BLACK.	Per doz.	GALVANIZED.	
		Inches.						
125	...	14	×	15	...	60/-	...	72/-
126	...	14	×	15½	...	60/-	...	72/-

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



CAST STEEL ROOT, BARK, BARLEY, & CHAVING FORKS.

630

CAST STEEL ROOT FORKS.

Prongs.		Width.	Length.		Per Doz.	
					BLACK SQUARE PRONGS.	BLACK ROUND PRONGS.
5	...	12½	× 16	...	54/-	60/-
6	...	13	× 16	...	63/-	74/-
7	...	13½	× 16	...	72/-	88/-

631

CAST STEEL BARK OR TAN FORKS.

Round Prongs, well dishd.

Prongs.		Width.	Length.		Per Doz.	
					BLACK.	HALF BRIGHT AND BLUE OR RED.
7	...	12	× 14	...	100/-	112/-
8	...	12	× 14	...	112/-	126/-
9	...	12	× 14	...	124/-	140/-

632

CAST STEEL BARLEY COCKING FORKS.

Bright Oval Prongs.

Prongs.		Width.	Length.		Per Doz.
3	...	13	× 18	...	66/-
4	...	15	× 18	...	78/-

633

CAST STEEL BARLEY COCKING FORKS.

Black Square Prongs.


Prongs.		Width.	Length.		Per Doz.
3	...	15	× 22	...	52/-
4	...	15	× 22	...	56/-

634

CAST STEEL CHAVING FORKS.

Prongs.		Width.	Length.		Per Doz.
4	...	15	× 22	...	66/-

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



DESCRIPTION OF HANDLE SHOULD BE MENTIONED WHEN ORDERING.



CAST STEEL HAY & STABLE FORKS.

158

Cast Steel STRAPPED Hay Forks, Oval Prongs, Bright and Blued.

No. 0	1	2	3	4
Handles. Prongs.	Handles. Prongs.	Handles. Prongs.	Handles. Prongs.	Handles. Prongs.
4 ft. × 9 in.	4 ft. × 10 in.	4½ ft. × 11 in.	5 ft. × 12 in.	5½ ft. × 13 in.
18/-	18/6	19/-	20/-	21/- per doz.

3 Prongs, 10/- per doz. extra; Black Prongs, 3/- per doz. less.

147. BEST QUALITY.

Cast Steel STRAPPED Hay Forks, Oval Prongs, all Bright. Selected Handles.

21/-	21/6	22/-	23/-	24/- per doz.
------	------	------	------	---------------

3 Prongs, 10/- per doz. extra.

152 B

Cast Steel CAPPED FERRULE Hay Forks, Oval Prongs, Bright and Blued.

17/-	17/6	18/-	19/-	20/- per doz.
------	------	------	------	---------------

All Bright, 3/- per doz. extra; Black Prongs, 3/- per doz. less.

149 B

Cast Steel Strapped Unloading Forks, Oval Prongs, Bright and Blued.

No. 0	1	2	3
Handles. Prongs.	Handles. Prongs.	Handles. Prongs.	Handles. Prongs.
5½	6	6½	7 ft. Handles × 14 in. Prongs.
31/-	33/-	35/-	37/- per doz.

3 Prongs, 15/- per doz. extra; Black Prongs, 3/- per doz. less.

No. 149. BEST QUALITY.

Cast Steel Strapped Unloading Forks, Oval Prongs, all Bright. Selected Handles.

34/-	36/-	38/-	40/- per doz.
------	------	------	---------------

3 Prongs 15/- per doz. extra.

No. 150 B.

Cast Steel Strapped Pitching Forks, Oval Prongs, Bright and Blued.

No. 1	2	3
Handles. Prongs.	Handles. Prongs.	Handles. Prongs.
6 ft. × 15 in.	7 ft. × 16 in.	8 ft. × 17 in.
33/-	41/-	43/- per doz.

3 Prongs, 15/- per doz. extra; Black Prongs, 3/- per doz. less.

150. BEST QUALITY.

Cast Steel Strapped Pitching Forks, Oval Prongs, all Bright. Selected Handles.

41/-	44/-	46/- per doz.
------	------	---------------

3 Prongs, 15/- per doz. extra.

STABLE FORKS.

No.	4 ft. Handles.	Round Prongs, 5 in. × 10 in.	Per doz.
159A	Bright Cast Steel Prongs, Brass Ferrules and Rings, Polished Handles		40/-
159B	" " " " Bright Steel Ferrules, Plain Handles		... 23/6
159C	Black Steel Prongs	" " " " "	... 18/-

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




158



152 B



149 B



149 B

Bright and Blued Prongs. Black Prongs.



159 A



150

3-Prong




CAST STEEL STONE, ORE, COAL, COKE, & QUARTZ FORKS.

118				119			
CAST STEEL STONE OR IRON ORE FORKS.				CAST STEEL COKE FORKS.			
Black Square Prongs.				Black Square Prongs.			
Prongs.	Width. Inches.	Length.	Per Doz.	Prongs.	Width. Inches.	Length.	Per Doz.
6	10½	× 15	68/-	10	15	× 18	120/-
7	11	× 16	80/-	11	16	× 18	132/-
8	11½	× 16	92/-	12	16½	× 18	144/-
9	12	× 16	104/-	14	17	× 18	168/-
				16	18	× 18	192/-
				Sides turned up, 4/- per dozen extra.			
120				121			
CAST STEEL COAL FORKS.				CAST STEEL COKE FORKS.			
Black Square Prongs.				Diamond Prongs.			
Prongs.	Width. Inches.	Length.	Per Doz.	Prongs.	Width. Inches.	Length.	Per Doz. BLACK. BRIGHT.
7	11	× 15	84/-	10	15	× 18	130/- ... 144/-
8	12	× 16	96/-	12	16½	× 18	156/- ... 168/-
9	14	× 17	108/-	14	17	× 18	182/- ... 192/-
10	16	× 17	120/-	16	18	× 19	208/- ... 228/-
635							
CAST STEEL QUARTZ OR PEBBLE FORKS.							
Diamond Prongs.							
Prongs.	Width. Inches.	Length.	Per Doz.				
8	11½	× 15	BLACK.	BRIGHT.	124/-
10	12½	× 16	110/-	144/-	
12	13	× 16	130/-	168/-	
14	13½	× 16	156/-	192/-	
			182/-		


Forks made any size to order.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





HANDLES.



Crutch.

Clasped
Crutch.Oval
Crutch.

Eye.

Rivetted
Eye.Double
Rivetted Eye.Malleable
Eye.Long
Knob.

CRUTCH HANDLES.

Per doz.				Per doz.			
Straight Crutch Handles	7/-	Bent Crutch Handles	7/6
Clasped Crutch Handles, 2/- per dozen extra.							

EYE HANDLES.

Straight Wood Eye Handles	...	10/-	Straight Malleable Iron Eye Handles	...	11/-
Bent " " "	...	10/6	Bent " " "	...	11/6

Rivetted Eyes, 2/- per dozen extra.

Double Rivetted Eyes, 4/- per dozen extra.

Malleable Iron Eyes only, 6/- per dozen.

In ordering, state for what description of Spades, Shovels, or Forks the Handles are required.

	4	4½	5	5½	6	7	8 feet.
Ash Hay Fork Handles
	5/-	5/6	6/-	6/6	7/6	9/-	11/- doz.
					36	39	42 inch.
Hickory Pick Handles	12/-	14/-	16/- doz.
Hickory Sledge Hammer Handles	11/6	—	—
		12	14	16	18	20 inch.	
Hand Hammer Handles	4/9	5/-	5/6 6/- 7/- doz.
		14	15	16	17	18	20 22 24 inch.
Hickory Hatchet Handles	5/6	5/9	6/-	6/3	6/6 7/- — — doz.
Hickory Axe Handles	—	—	6/3	—	6/9 7/6 8/- 8.6 "

SECTION IV.



FIELD AND GARDEN TOOLS.



GARDEN TOOLS.

BORDER AND BOYS' FORKS.

113 CAST STEEL BORDER FORKS. Black Flat Prongs, Rivetted Eye Handles.			502 CAST STEEL LADIES' AND GENTLEMEN'S BORDER FORKS. Bright and Blued Oval Prongs, Rivetted Eye Handles.		
Prongs.	Inches.	Per Doz.	Prongs.	Inches.	Per Doz.
3	5½ × 9	24/-	3	5½ × 9	34/-
4	5½ × 9	25/-	4	5½ × 9	35/-
5	6 × 9	33/-	5	6 × 9	43/-
			Polished Handles, 6/- doz. extra.		

115 CAST STEEL BORDER FORKS. Black Square Prongs, Rivetted Eye Handles.			110 CAST STEEL BOYS' DIGGING FORKS. Square Prongs, Rivetted Eye Handles.		
Prongs.	Inches.	Per Doz.	Prongs.	Inches.	Per Doz.
3	5½ × 9	24/-	4	7 × 11	Black. 25/- Bright and Blued. 37/-
4	5½ × 9	25/-	5	7½ × 12	Black. 33/- Bright and Blued. 45/-
5	6 × 9	33/-			

BOYS' AND LADIES' SPADES.

15 BOYS' SPADES.				32 LADIES' AND GENTLEMEN'S CHESHIRE LANGET SPADES. Bright and Blued.			
Size No.	Width.	Length.	Per Doz.	Size No.	Width.	Length.	Per Doz.
1	5½ × 9	26/-		1	5½ × 9	36/-	
2	6 × 9½	28/-		2	6 × 9½	37/-	
3	6½ × 10	30/-		3	6½ × 10	38/-	
4	7 × 10½	32/-		4	7 × 10½	40/-	
				Polished Handles, 6/- doz. extra.			

508	Ladies' Dibbers, Bright and Blued, Polished Handles	15/6	per doz.
509	Bean Dibbers	12/6	"
670	Japanned Wrought Garden Reels, flat	...	Size No. 1	13/6	2 14/6 3 15/6
				Assorted sizes, 14/6	
671	" " " " triangular	...		17/6	18/- 20/-
				Assorted sizes, 18/6	
672	Bright and Blued Weed Forks, 15 in. Polished Handles	9/-	"
673	" " Daisy Grubbers	16/-	"
674	" " Fern Trowels, with leather sheaths	13/-	"
	" " " " without sheaths	5/6	"
675	Best all Bright Fern Trowels, Rosewood Scale Handles, with leather sheaths	30/-	"
511	Solid End Garden Rakes	...	6 8 10 12 14	16 teeth.	
512	Blued Garden Trowels	...	3/6 4/6 5/6 6/6 7/6	9/-	per doz.
512F	" " Forks	} to match		3/3	"
513	Best Bright and Red Garden Trowels	} to match		3/-	"
514	" " Weeding Forks	} to match		7/6	"
515	Bright and Blued Garden Trowels	} to match		9/-	"
516	" " Weeding Forks	} to match		4/6	"
				4/6	"

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



113



115



502



110



15



32



508



509



670



671



672



673



674



675



511



512

To match



513

To match



515

To match



512F



514



516


FIELD AND GARDEN TOOLS.

[illegible]

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




662




663



664



665



666



667



668



669



670 H



75




WARRANTED GARDEN SHEARS.

No.	No. 1	2	3
351 Sliding Pruning	6/6	8/6	11/- per pair.
352 Branch or Lopping	7/-	8/-	9/- "
352 L Ladies' Pruning Shears, with Brass Hoops	5/-	5/6	6/- "
	7½ 8 8½ 9 9½ 10 10½ 11 11½ 12 inches.		
353 Garden Shears, with Bright Hoops	3/2 3/3 3/6 4/- 4/6 4/9 5/- 5/6 6/3 7/3		per pair.
355 Garden Shears, with Pruning Notch	3/8 3/9 4/- 4/6 5/- 5/3 5/6 6/- 6/9 7/9		"
	No. 1 2 3		
354 Ladies' Garden Shears, with Brass Hoops ...	3/3	3/6	4/- per pair.
	8 8½ 9 9½ 10 10½ 11 inches.		
356 Border or Grass Shears, with Bright Hoops	5/- 5/6 6/- 6/6 7/- 7/6 8/-		per pair.
358 Border or Grass Shears, with Wheel ...	6/- 6/6 7/- 7/6 8/- 8/6 9/-		"
359 Lawn Shears (<i>without wheels</i>)	5/- 5/6 6/- 6/6 7/- 7/6 8/-		"
357 " " with two Wheels	7/- 7/6 8/- 8/6 9/- 9/6 10/-		"
660 Grass Shears, Straight	2/6 "
661 " " Bent	2/9 "

All our Garden, Border, and Lawn Shears are fitted with nut and bolt joint and spring washer for keeping blades on cut.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





**FUSSELL'S
MELLS**

IMPROVED WARRANTED SOLID STEEL HOES.

FUSSELL'S No.		To	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18in.
1st Row Engrav- ings.	857	Square Garden Hoes	..	9/-	10/-	11/-	12/-	13/-	14/-	15/-	—	—	—	—	—	—	— doz.
	859	Half Moon ditto	..	9/-	10/-	11/-	12/-	13/-	14/-	15/-	—	—	—	—	—	—	—
	867	Extra Deep Half Moon do.	11/-	12/-	13/-	14/-	15/-	16/-	17/-	—	—	—	—	—	—	—	—
	861	Shallow do. do	8/-	9/-	10/-	11/-	12/-	13/-	14/-	—	—	—	—	—	—	—	—
2nd Row Engrav- ings.	831	Long Neck Square Garden Hoes	9/6	11/-	12/6	14/-	16/-	18/-	20/-	—	—	—	—	—	—	—
	829	Long Neck Half Moon do.	..	9/6	11/-	12/6	14/-	16/-	18/-	20/-	—	—	—	—	—	—	—
	814	Guildford Long Neck do.	—	8/9	10/-	11/3	12/9	14/6	16/-	—	—	—	—	—	—	—	—
	864	Buckland Eyed Hoes ..	8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	17/-	19/-	21/-	23/-	25/-	26/-	27/-
3rd Row Engrav- ings.	817	Square Banbury Hoes	..	7/-	8/3	9/3	10/6	11/9	13/3	14/6	—	—	—	—	—	—	—
	819	Half Moon do.	..	7/-	8/3	9/3	10/6	11/9	13/3	14/6	—	—	—	—	—	—	—
	872	Shrewsbury Hoes	8/9	10/-	10/6	11/6	12/6	14/-	—	—	—	—	—	—	—	—
	869	Buckland Stirt Hoes	8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	17/-	19/-	21/-	23/-	25/-	26/-
	873	Hoe Sockets (all sizes)	..	9/-													—
	874	Hoe Ferrules do.	..	1/6													—
4th Row Engrav- ings.	875	Somerset Hoes	8/9	10/-	10/6	11/6	12/6	14/-	—	—	—	—	—	—	—	—
	860	Cranked Stirt Half Moon Hoes	9/-	10/-	11/-	12/-	13/-	14/-	15/-	17/-	—	—	—	—	—	—
	852	Crue Tanged Turnip Hoes	8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	18/-	20/-	22/-	24/-	26/-	27/-	28/-
	813	Triangular Hoes	8/9	10/3	11/8	13/-	15/-	16/9	19/-	—	—	—	—	—	—	—
5th Row Engrav- ings.	823	Square Crane-neck Hoes	..	7/9	8/9	10/-	11/3	12/9	14/6	16/-	—	—	—	—	—	—	—
	821	Half Moon do. do.	..	7/9	8/9	10/-	11/3	12/9	14/6	16/-	—	—	—	—	—	—	—
	862	Swan Neck Turnip Hoes, Bright	10/6	11/6	12/6	13/6	14/6	15/6	16/6	18/6	—	—	—	—	—	—
		Do. do. Black	8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	—	—	—	—	—	—
	876	Sherborne Hoes	8/-	9/-	10/-	11/-	12/-	13/-	14/-	16/-	—	—	—	—	—	—
	877	Norfolk Hoes	12/-	13/-	14/-	15/6	17/-	18/6	20/-	—	—	—	—	—	—	—
6th Row Engrav- ings.	878	Potton Hoes, Bright	..	12/6	13/6	14/6	15/6	16/6	17/6	—	—	—	—	—	—	—	—
		Do. Black	11/6	12/6	13/6	14/6	15/6	16/6	—	—	—	—	—	—	—	—
	835	Square Bury Hoes	8/9	10/3	11/8	13/-	15/-	16/9	19/-	—	—	—	—	—	—	—
	833	Half Moon do.	8/9	10/3	11/8	13/-	15/-	16/9	19/-	—	—	—	—	—	—	—
	835 and 833,	Bright	11/3	12/9	14/-	15/6	17/6	19/3	21/6	—	—	—	—	—	—	—

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



857



859



867



861



831



829



814




864




817



819



872



869



873



875



860



852




813



823



821




862



876



877



878



835



833



“**F**”

**FUSSELL'S
MILLS**

IMPROVED WARRANTED SOLID STEEL HOES.

		FUSSELL'S No.																		
1st Row Engrav- ings.	{	854	Axe Eye Mattocks		
		856	Round Eye "		
		To 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18in.																		
		855	Hatchet Eye Hoes	10/-	12/-	14/-	16/-	17/-	18/-	19/-	20/-	22/-	23/-	24/-	26/-	28/-	29/- 30/- doz.	
2nd Row Engrav- ings.	{	879	Wiltshire Hoes	10/-	12/-	14/-	16/-	17/-	18/-	19/-	—	—	—	—	—	—		
		866	Potato Hoes	11/-	12/-	13/-	14/-	15/-	16/-	17/-	—	—	—	—	—	—	—	
		866H	Hatchet Eye Potato Hoes	12/-	13/-	14/-	15/-	16/-	17/-	18/-	—	—	—	—	—	—	—	
		880	Croydon Hoes	10/9	11/3	12/-	12/9	14/-	15/3	—	—	—	—	—	—	—	—	
		881	Devon Two-Bills or Grubbing Hoes	
		882	Devon Mattocks	
		883	Tonbridge Hoes	3 3/4 by 1 1/4		4 by 2		4 by 2 1/2		5 by 2 1/2		5 by 3 1/2		6 by 4 1/2 in.				
3rd Row Engrav- ings.	{					2 1/2	3	3 1/2	4	4 1/2	5 in.									
		884	Neath Mattocks	20/-	21/-	22/-	24/-	26/-	28/-	doz.								
		884S	" " Single	16/-	17/-	18/-	20/-	22/-	24/-	"								
		885	Canterbury Hoes, 2 prong	23/-	doz.											
		886	" " 3 "	29/-	"											
						To 2		2 1/4	2 1/2	3										
		314	Solid Spuds or Paddles	6/6	7/6	8/-	8/6	9/6	"									
			Ditto Bright	10/6	11/6	12/-	12/6	13/6	"									
		315	Solid Weed Hooks	6/6	7/6	8/-	8/6	9/6	"									
		316	" " "	6/6	7/6	8/-	8/6	9/6	"									
	{					To 4		4 1/2	5	6 in.										
		887	Wheat or Onion Hoes, Hatchet Eye	10/-	10/6	11/-	12/-	"										
		888	" " " Round Eye	9/-	9/6	10/-	11/-	"										
		889	" " " Straight Stirt	9/-	9/6	10/-	11/-	"										
		890	" " " Cranked Stirt	9/-	9/6	10/-	11/-	"										
		850	" " " Handled	11/-	11/6	12/-	13/-	"										
	{	851	" " " "	11/-	11/6	12/-	13/-	"										
						To 3		4	5	6	7	8	9	10 in.						
		308	Dutch Hoes	8/-	9/6	11/-	12/6	14/-	16/-	18/-	20/-	"						
		891	Hoe Plates	3/9	3/9	4/3	4/9	5/3	5/9	6/3	6/9	7/3	7/9	8/3	8/9	"		
		892	Hoe Frames	6/-	6/6	7/3	8/6	9/9	10/9	12/-	13/3	"						
893	" " "	6/-	6/6	7/3	8/6	9/9	10/9	12/-	13/3	"								
894	" " "	6/-	6/6	7/3	8/6	9/9	10/9	12/-	13/3	"								

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



854



856



855



879



866



880



881



882



883



884



885



886



314



315



316



887



888




889



890




892



850



308



893



851



891



894



BEST WARRANTED GARDEN TOOLS.

900

SET OF LADIES' OR GENTLEMEN'S GARDEN TOOLS.

Highly Finished. Best Selected Polished Handles.

Containing—	Solid Cast Steel Spade.			
	"	"	"	Fork.
	"	"	"	Hoe.
	"	"	"	Rake.
	"	"	"	Trowel.
	"	"	"	Weeding Fork.

Per Set ... 15/- ... Per Set.

GARDEN SHEARS.

Polished Handles.

			7½	8	8½	9	9½	10	10½	11	11½	12 inches.
353	Ordinary Pattern	3/2	3/3	3/6	4/-	4/6	4/9	5/-	5/6	6/3	7/3 per pair.
355	With Pruning Notch	3/8	3/9	4/-	4/6	5/-	5/3	5/6	6/-	6/9	7/9 "

471

GARDENERS' HAMMERS.

Chequered Faces. Polished Handles.

Size No. 1	2	3
16/-	18/-	21/- per doz.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



14½ in.




12½ in.




30 in.



30 in.



57 in.



353
9 in.

9 in.

4 in.

10½ in.



471
No 2 Size

12 in.

Set No 900.

COPYRIGHT.

ENTD AT STATIONERS' HALL.



SECTION V.

EDGE TOOLS.

SUB-SECTION A.

SCYTHES,
HAY, TRUSSERS', PEAT, DROWNING, EDGING,
RIVER, AND THATCHERS' KNIVES,
REAPING, BAGGING, BRUSHING, GORSE,
FURZE, &c. HOOKS.



SCYTHES.

No.

5 Best Crown London Grass Pattern.

32	34	36	38	40	42	44	46	48	50	52	54	56 inches.
35/-	36/-	37/-	38/-	39/-	40/-	41/-	43/-	45/-	47/-	50/-	53/-	56/- per dozen.

Double Refined Steel Scythes up to 42 in., 3/- per dozen extra.

" " " above 42 " 4/- " "

Jersey and Guernsey Patterns, 2/- per dozen extra.

11 Patent Rivetted Back Pattern.

32	34	36	38	40	42	44	46	48	50	52	54	56 inches.
35/-	36/-	37/-	38/-	39/-	40/-	41/-	43/-	45/-	47/-	50/-	53/-	56/- per dozen.

Jersey and Guernsey patterns, 3/- per dozen extra.

						18	20	22	24	26	28	30 inches.
16	Best Crown Brier	29/-	30/-	31/-	32/-	34/-	36/-	38/- per dozen.

						28	30	32	34	36 inches.
17	Best Crown Bean or Vetch	36/-	37/-	38/-	39/-	40/- per dozen.

English Scythe Sneads and Fittings, complete 23/6 per doz.

American " " " " " " " " " " 22/- "

Hanging and Bedding 2/- " net extra.

No. 5 F.

FUSSELL'S PATENT SELF-ADJUSTABLE LAWN SCYTHES AND SNEADS.


						36	42 in.
Scythes only	40/-	43/- per dozen.
Sneads	44/-	44/- "
Scythes and Sneads complete	84/-	87/- "

ADVANTAGES.

Nothing complicated, so cannot get out of order. In use as rigid as an ordinary scythe, with the great advantage of adjustability. Readily adjusted to suit any style of mowing. By one movement the edge is lowered or raised, and by another movement the sweep of blade can be altered, bringing same to the desired distance in or out.



ISAAC NASH & SONS Wollaston Mills STOURBRIDGE





SCYTHES.

No		Inches.	Per Doz.
1	Best Crown, Wool's Pattern	32	35/-
2	" " Wide Wools' Pattern	34	36/-
3	" " Somerset	36	37/-
4	" " Lincoln	38	38/-
6	" " Cheshire	40	39/-
7	" " North Welsh	42	40/-
8	" " All Back	44	41/-
9	" " South Welsh	46	43/-
10	" " Flat Back	48	45/-
		50	47/-
		52	50/-
		54	53/-
		56	56/-

Jersey and Guernsey Patterns, 2/- per dozen extra.

Double Refined Steel Scythes up to 42 in., 3/- per dozen extra.

" " " " above 42 in., 4/- " "

				40	42	44	46	48	50 inches.
12	Best Crown Devon or West Pattern	}	...	43/-	44/-	46/-	48/-	50/-	53/- per doz.
							38 & 39	40	42 inches.
13 & 14	Best Crown Norfolk		38/-	39/-	40/- per doz.
						24	26	28	30 inches.
15	Best Crown Litter		28/-	30/-	32/-	34/- per doz.

English Scythe Sneads and Fittings, complete 23/6 per doz.

American " " " " " " 22/- "

Hanging and Bedding 2/- .. net extra.

RAG KNIVES.


CUT FROM SCYTHES.

18	...	16	18	20	22	24 inches.
		7/-	7/6	8/-	9/-	10/- per doz.





ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



COPYRIGHT.

ENT? AT STATIONERS' HALL.





BEST CROWN HAY AND DUNG KNIVES.

No. 1. "FUSSELL"		No. 2. "FUSSELL"		No. 3. "FUSSELL"		No. 4. "FUSSELL"	
Best Crown Side Handle Hay Knives.		Best Crown Cross Handle Hay Knives.		Best Crown Broad Heel Side Handle Hay Knives. Narrow Points.		Best Crown Broad Heel Cross Handle Hay Knives. Narrow Points.	
In.	Per Doz.	In.	Per Doz.	In.	Per Doz.	In.	Per Doz.
14	29/6	14	31/6	14	33/6	14	35/6
15	30/-	15	32/-	15	34/-	15	36/-
16	31/-	16	33/-	16	35/-	16	37/-
17	32/-	17	34/-	17	36/-	17	38/-
18	33/-	18	35/-	18	37/-	18	39/-
19	34/-	19	36/-	19	38/-	19	40/-
20	36/-	20	38/-	20	40/-	20	42/-
21	37/-	21	39/-	21	41/-	21	43/-
22	39/-	22	41/-	22	43/-	22	45/-
23	42/-	23	44/-	23	48/-	23	50/-
24	46/-	24	48/-	24	52/-	24	54/-
26	54/-	26	56/-	26	60/-	26	62/-
28	62/-	28	64/-	28	68/-	28	70/-
30	70/-	30	72/-	30	76/-	30	78/-
32	78/-	32	80/-	32	84/-	32	86/-

No. 5. "FUSSELL"		No. 6. "FUSSELL"		No. 27.		No. 28.	
Best Crown Cross Handle Dung Knives.		Best Crown Side Handle Dung Knives.		Best Crown Broad Heel Cross Handle Hay Knives.		Best Crown Broad Heel Side Handle Hay Knives.	
In.	Per Doz.	In.	Per Doz.	In.	Per Doz.	In.	Per Doz.
14	33/6	14	31/6	13	35/-	13	33/-
15	34/-	15	32/-	14	35/6	14	33/6
16	35/-	16	33/-	15	36/-	15	34/-
17	36/-	17	34/-	16	37/-	16	35/-
18	37/-	18	35/-	17	38/-	17	36/-
19	38/-	19	36/-	18	39/-	18	37/-
20	40/-	20	38/-	19	40/-	19	38/-
21	41/-	21	39/-	20	42/-	20	40/-
22	43/-	22	41/-	21	43/-	21	41/-
23	47/-	23	45/-	22	45/-	22	43/-
24	51/-	24	49/-	23	50/-	23	48/-
26	59/-	26	57/-	24	54/-	24	52/-
28	67/-	28	65/-	26	62/-	26	60/-
30	75/-	30	73/-	28	70/-	28	68/-
32	83/-	32	81/-	30	78/-	30	76/-
				32	86/-	32	84/-

EXTRA LONG TANGS CHARGED EXTRA AS FOLLOWS:

9 to 12 in.
4/6

13 to 16 in.
6/3



17 to 20 in. Tangs.
9/6

Per Dozen extra.







ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussells' patterns,
marked FUSSELL.



COPYRIGHT.

ENTD AT STATIONERS' HALL.





BEST CROWN HAY KNIVES.

Nos. 19, 21, 23. Best Crown Cross Handle Hay Knives.			Nos. 20, 22, 24. Best Crown Side Handle Hay Knives.			No. 26 and No. 8, "FUSSELL." Best Crown Middle Width Side Handle Hay Knives.			No. 25 and No. 7, "FUSSELL." Best Crown Middle Width Cross Handle Hay Knives.		
<i>In.</i>		<i>Per Doz.</i>	<i>In.</i>		<i>Per Doz.</i>	<i>In.</i>		<i>Per Doz.</i>	<i>In.</i>		<i>Per Doz.</i>
13	...	31/-	13	...	29/-	13	...	31/-	13	...	33/-
14	...	31/6	14	...	29/6	14	...	31/6	14	...	33/6
15	...	32/-	15	...	30/-	15	...	32/-	15	...	34/-
16	...	33/-	16	...	31/-	16	...	33/-	16	...	35/-
17	...	34/-	17	...	32/-	17	...	34/-	17	...	36/-
18	...	35/-	18	...	33/-	18	...	35/-	18	...	37/-
19	...	36/-	19	...	34/-	19	...	36/-	19	...	38/-
20	...	38/-	20	...	36/-	20	...	38/-	20	...	40/-
21	...	39/-	21	...	37/-	21	...	39/-	21	...	41/-
22	...	41/-	22	...	39/-	22	...	41/-	22	...	43/-
23	...	44/-	23	...	42/-	23	...	45/-	23	...	47/-
24	...	48/-	24	...	46/-	24	...	49/-	24	...	51/-
26	...	56/-	26	...	54/-	26	...	57/-	26	...	59/-
28	...	64/-	28	...	62/-	28	...	65/-	28	...	67/-
30	...	72/-	30	...	70/-	30	...	73/-	30	...	75/-
32	...	80/-	32	...	78/-	32	...	81/-	32	...	83/-
34	...	92/-	34	...	90/-						
36	...	104/-	36	...	102/-						

EXTRA LONG TANGS CHARGED EXTRA AS FOLLOWS:

9 to 12in.

4/6


13 to 16in.

6/3

17 to 20in. Tangs.

9/6

Per Dozen extra.




COPYRIGHT.


ENTD AT STATIONERS' HALL.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns, marked FUSSELL.



COPYRIGHT.

ENT^d AT STATIONERS' HALL.





BEST CROWN HAY AND TRUSSERS' KNIVES.

No. 9. "FUSSELL"				No. 10. "FUSSELL"				No. 29 and No. 13, "FUSSELL."			
Best Crown Broad Heel Cross Handle Hay Knives, Cross Points.				Best Crown Broad Heel Side Handle Hay Knives, Cross Points.				Best Crown Socket Hay Knives.			
In.			Per Doz.	In.			Per Doz.	In.			
14	35/6	14	33/6	13	...		
15	36/-	15	34/-	14	...		
16	37/-	16	35/-	15	...		
17	38/-	17	36/-	16	...		
18	39/-	18	37/-	17	...		
19	40/-	19	38/-	18	...		
20	42/-	20	40/-	19	...		
21	43/-	21	41/-	20	...		
22	45/-	22	43/-	21	...		
23	50/-	23	48/-	22	...		
24	54/-	24	52/-	23	...		
26	62/-	26	60/-	24	...		
28	70/-	28	68/-	26	...		
30	78/-	30	76/-	28	...		
32	86/-	32	84/-	30	...		
								32	...		

} per lb.

No. 30 and No. 11, "FUSSELL."				No. 31 and No. 12, "FUSSELL."				No. 38.				No. 39.			
Best Crown Cross Handle Trussers' Knives.				Best Crown Side Handle Trussers' Knives.				Best Crown Broad Heel Side Handle Hay Knives, without Rib on back.				Extra Wide and Strong Best Crown Broad Heel Cross Handle Hay Knives.			
In.			Per Doz.	In.			Per Doz.	In.			Per Doz.	In.			Per Doz.
24	70/-	24	66/-	14	33/6	14	37/6
25	76/-	25	72/-	16	35/-	16	39/-
26	82/-	26	78/-	17	36/-	18	41/-
27	90/-	27	86/-	18	37/-	20	44/-
28	98/-	28	94/-	19	38/-	22	47/-
29	106/-	29	102/-	20	40/-	24	56/-
30	114/-	30	110/-	21	41/-	26	64/-
31	122/-	31	118/-	22	43/-	28	72/-
32	130/-	32	126/-	23	48/-	30	80/-
33	140/-	33	136/-	24	52/-	32	88/-
34	154/-	34	150/-	26	60/-	Side Handles, 2 - less.			
36	184/-	36	180/-	28	68/-				
								30	76/-				
								32	84/-				

Cross Handles 2 - extra.

EXTRA LONG TANGS CHARGED EXTRA AS FOLLOWS:

9 to 12 in.	13 to 16 in.	17 to 20 in.
4/6	6/3	9/6

Per Dozen extra.




COPYRIGHT.

ENTD AT STATIONERS' HALL.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussells' Patterns,
marked FUSSELL.



COPYRIGHT.

ENT^d AT STATIONERS' HALL.





BEST CROWN PEAT, DROWNING, EDGING, RIVER, AND THATCHERS' KNIVES.

No. 14. Strong Best Crown Side Handle Peat Knives.		No. 15. Strong Best Crown Cross Handle Peat Knives.	
In.	Per Doz.	In.	Per Doz.
13	29/-	13	31/-
14	29/6	14	31/6
15	30/-	15	32/-
16	31/-	16	33/-
17	32/-	17	34/-
18	33/-	18	35/-
19	34/-	19	36/-
20	36/-	20	38/-
21	37/-	21	39/-
22	39/-	22	41/-
23	42/-	23	44/-
24	46/-	24	48/-
26	54/-	26	56/-
28	62/-	28	64/-
30	70/-	30	72/-
32	78/-	32	80/-
34	90/-	34	92/-
36	102/-	36	104/-

Extra Long Tangs charged extra
as follows:

9 to 12 in.	13 to 16 in.	17 to 20 in. Tangs
4/6	6/3	9/6
<i>Per Dozen extra.</i>		

No. 16

BEST CROWN TREADED SOCKET
DITCHING OR DROWNING KNIVES.

Prices quoted on application.

No. 17

BEST CROWN EDGING KNIVES.

48/- per dozen.

No. 18

BEST CROWN RIVER KNIVES.

30 in. ... 38/- per dozen.

Nos. 32, 33

BEST CROWN THATCHERS' KNIVES.

24	26	28	30	32	34 in.
35/-	36/-	37/-	38/-	39/-	40/- per doz.

No. 34. BEST CROWN CHAFF KNIVES. STRAIGHT HANDLE.

20	22	24	26	28 in.
40/-	42/-	44/-	46/-	48/- per doz.

No. 35. BEST CROWN CHAFF KNIVES. CROSS HANDLE.

20	22	24	26	28 in.
42/-	44/-	46/-	48/-	50/- per doz.

No. 36, 37. BEST CROWN THATCHERS' KNIVES.

Prices as Nos. 32, 33.




FUSSELL MELLIS JAS FUSSELL MELLIS JAS. FUSSELL MELLIS & WOOD

COPYRIGHT.

ENTD AT STATIONERS' HALL.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE






REAPING HOOKS.

NASH'S No.	FUSSELL'S No.										
37	—	Bright Pipe Hook	19/6	per doz.	
38	—	Half-Bright Pipe Hook, ferruled handle...	19/6	"	
			No. 00	0	1	2	3	4	5	6	
39	26	Pembroke Reaping Hook	13/-	14/-	15/-	16/-	17/-	19/-	21/3	23/9	"
40	—	Carnarvon Grass, broad point	15/-	16/-	17/-	"
		(Narrow Point Pattern, see No. 53.)									
42	16	Bristol Reaping Hook ...	13/-	14/-	15/-	16/-	17/-	19/-	21/3	23/9	"
—	17	Fussells' Pattern Bright Bristol Reaping Hook									
53	—	Carnarvon Grass, narrow point	15/-	16/-	17/-	"
		(Broad Point Pattern, see No. 40.)									
83	—	South Welsh Reaping Hook	16/-	17/-	18/-	"
84	—	Llanelly Reaping Hook	15/-	16/-	17/-	"





ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns,
marked FUSSELL,



COPYRIGHT.

ENTD AT STATIONERS' HALL.





REAPING HOOKS.

NASH'S FUSSELL'S
No. No.

			No. 0	1	2	3
85	—	Hampshire Reaping Hook	...	14/-	15/-	16/6 per doz.
87	—	Leek Reaping Hook	...	18/-	19/3	20/6 22/- "

			No. 00	0	1	2	3	4	5	6
—	14	White Sickle or London Reaping	13/-	14/-	15/-	16/-	17/-	19/- 21/3 23/9 "
—	18	Black Sickle						
—	19	Mint or Lavender Sickle	—	12/6	—	—	—	—	—	"
121	—	Fen Reaping Hook	...	—	—	15/-	16/-	17/-	—	"
122	—	Caergwre Reaping, narrow point	20/-	"
123	—	Ditto ditto broad point	20/6	"

Ferruled Handles, -/6 per doz. extra.


			No. 0	1	2	3	4	5
124	—	Manx Reaping Hook	9/6	10/6	11/6	13/-	14/6	16/- "
125	—	Manx Furze Hook	...	12/-	13/-	14/6	15/9	16/3 18/9 "



COPYRIGHT.

ENTD AT STATIONERS' HALL.

ISAAC NASH & SONS Wollaston Mills STOURBRIDGE





BAGGING HOOKS.

NASH'S FUSSELL'S
No. No.

No. 00 0 1 2 3 4 5 6 7

—	2	Open Pattern Cranked Fagging Hook, short round handle ...	14/3	15/3	16/10	18/4	20/6	23/-	25/9	28/9	32/6	per doz.
—	3	Open Pattern Straight Fagging Hook, long round handle ...	14/-	15/-	16/6	18/-	20/-	22/6	25/-	28/-	31/6	"
Caulked Handles -/6 per dozen extra.												
—	9	Open Pattern Straight Fagging Hook, short round handle ...	14/-	15/-	16/6	18/-	20/-	22/6	25/-	28/-	31/6	"
35	4	Crooked Pattern Cranked Fagging Hook, caulked h'dle	14/9	15/9	17/4	18/10	21/-	23/6	26/3	29/3	33/-	"
80	5	Crooked Pattern Cranked Fagging Hook, short round handle ...	14/3	15/3	16/10	18/4	20/6	23/-	25/9	28/9	32/6	"
36	6	Crooked Pattern Straight Fagging Hook, short round handle ...	14/-	15/-	16/6	18/-	20/-	22/6	25/-	28/-	31/6	"

Description of points, square or round, should be mentioned in
ordering Bagging Hooks.

			16	17	18	19	20	21 inch.	
41	—	West of England Hewing Hook	22/6	24/-	25/6	27/-	28/6	30/- per doz.	
						16	17	18 inch.	
43	—	Crooked Pattern Andre Bagging Hook	...	24/-	24/-	25/-	per doz.		
			No. 1	2	3	4	5	6	7
44	—	Shropshire Reaping Hook	20/-	21/-	22/-	23/-	24/-	—	— per doz.
45	7	Hereford Bright Bagging or Hook and Crook Hook, plain	16/6	18/-	20/-	22/6	25/-	28/-	31/6 "
"	"	Hereford Bright Bagging or Hook and Crook Hook, cranked	16/10	18/4	20/6	23/-	25/9	28/9	32/6 "

Ferruled Handles -/6 per dozen extra.


			19	20	21	22 inch.
46	8	Hereford or Andre Bagging Hook	25/-	26/-	26/9	27/6 per doz.



COPYRIGHT.

ENTD AT STATIONERS' HALL.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns,
marked FUSSELL.

COPYRIGHT.

ENTD AT STATIONERS' HALL.



BAGGING HOOKS.

NASH'S No. FUSSELL'S No.

			No. 1	2	3	4	5
81	—	Buckingham Reaping Hook	16/10	18/4	20/6	23/-	25/9 per doz.

82	—	Oxford	"	"	17/-	18/6	20/6	23/-	—	"
----	---	--------	---	---	------	------	------	------	---	---

86	—	Aberystwith	"	"	14	15	16 inch.
							19/-	19/6	20/- per doz.

				No. 4	5	6	7			
98	—	Warwickshire	"	"	...	23/-	25/9	28/9	32/6	"

			No. 1	2	3	4	5		
—	28	Sherborne Bean Hook	...	18/-	19/6	21/-	22/6	25/-	"

			No. 2	3	4	5	6	7	8		
—	35	Bristol Hewing Hook,	}	18/6	21/-	23/6	26/3	29/3	33/-	36/6	"
		Cranked, caulked handle									

—	36	Bristol Hewing Hook,	}	18/-	20/6	23/-	25/6	28/6	32/-	35/6	"
		caulked handle		...							

—	37	Bristol Hewing Hook,	}	18/-	20/6	23/-	25/6	28/6	32/-	35/6	"
		Cranked, plain round									
		handle		...							

—	38	Bristol Half-Hewing Hook,	}	18/-	20/6	23/-	25/6	28/6	32/-	35/6	"
		Cranked, half-caulked									
		handle		...							



COPYRIGHT.

ENTR AT STATIONERS' HALL.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·




Numbers with F attached are Fussell's Patterns, marked FUSELL.



SOCKET BRUSHING HOOKS.

NASH'S FUSSELL'S No. No.		No. 1 2 3		
47	— Hereford Pattern ...	14	16	18 inches.
48	— General Pattern ...			
49	— Slightly Curved Pattern ...	22/6	25/-	27/6 per doz.
50	— Half Moon Pattern ...			
51	24 Briar or Gorse Hook ...			
89	— Suffolk Pattern ...	27/6	30/-	32/6 "
90	— Straight " ...	22/6	25/-	27/6 "
91	— Norfolk " ...			
126	— Pea Bill Hook ...			22/6 "
127	— Hop Hook, hook on back ...			24/- "



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns, marked FUSSELL.



SOCKET BRUSHING HOOKS.

FUSSELLS' SPECIAL PATTERNS.

FUSSELLS' No.	No.	0	1	2	3	4	5	
13	Isle of Wight Bean Hook	...						
22	Kent Brushing Hook	20/-	21/-	22/6	25/-	27/6 per doz.
23	Hereford Bean Hook					
31	Staff Hook	20/-	21/3	22/6	25/-	27/6 30/- "
40	Pea Hook	12 inch. 24/9 per doz.
43	Kent, Solid Socket	10	12	14	16	18 inch.
44	Suffolk Pattern, Solid Socket	25/-	26/3	27/6	30/-	32/6 "
45	Hereford Bean, Solid Socket					
46	Hereford Bean, Solid Socket, with hook on back	29/-	30/3	31/6	34/-	36/6 "




COPYRIGHT.

ENTD AT STATIONERS' HALL.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussells' Patterns,
marked FUSSELL.



COPYRIGHT.

ENT? AT STATIONERS' HALL.






GORSE AND FURZE HOOKS.

NASH'S No.	FUSSELL'S No.			No. 1	2	3	
52	29	Bright Carnarvon Gorse	19/-	20/-	21/-	per doz.
		(Half Bright Pattern, see No. 92.)					
54	—	Irish Furze	20/-	21/-	22/-	"
55	41	Cornish Furze	26/-	"
56	20	Welsh Furze	18/-	19/-	20/-	"
58	—	Anglesea Gorse				
92	—	Half Bright Carnarvon Gorse				
		(Bright Pattern, see No. 52.)					
95	—	Callington Gorse	22/6	"
—	25	Welsh Briar	16/6	17/6	—	"
—	39	West Country Bramble	20/-	22/-	24/-	"
				No. 1	2	3	4
128	—	Dorset Furze	20/-	22/-	24/-	26/-
129	—	Southampton Furze				
130	—	Aberayron Gorse	18/-	19/-	—	"





ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussells' Patterns, marked FUSSELL.



COPYRIGHT.

ENTD AT STATIONERS' HALL.





TANGED BRUSHING HOOKS.

NASH'S
No.

FUSSELL'S
No.

57 — Caergwrle Pattern Brushing ... 22/6 per doz.

					No. 1	2	3	
59	—	Llanrwst	"	...	19/-	20/-	—	"

60 — Half Moon Pattern ... 22/6 25/- 26/6 "

61 — General Pattern ... 22/6 24/- 25/6 "

93 — Caergwrle Pattern Gorse ... 20/- "

94 — Bean Hook ... 26/- "

96 — Osier ... 16/- "

98 — Norfolk Brushing or Bean Hook ... 22/- 24/- — "

				No. 0	1	2	3	4	5	
—	21	Kent Pattern	...	19/-	20/-	21/-	22/6	24/-	—	"

— **30** Staff Hook ... 18/- 19/- 20/- 21/- 22/- — "

131 — Lincoln Staff, without handle — 17/- 18/- 19/- 20/- — "

(Handles extra according to length.)

132 — Cardiff Hedging ... 17/- 18/- 19/- 20/- 21/- "

133 — Ellesmere ... 15 in.
20/- "



COPYRIGHT.

ENTD AT STATIONERS' HALL.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns, marked FUSSELL.



VARIOUS PATTERN HOOKS.

NASH'S FUSSELL'S
No. No.

No. 3 4 5 6 7

—	11	Devizes Pattern Eaves Hook	25/-	27/6	30/-	33/6	38/- per doz.
—	12	Cranked Thatcher's Hook	25/6	28/-	30/9	34/3	39/- "
—	1	Hop Bine Hook	10/6	"
—	10	Cockle Hook	10/-	"
97	—	Cranked Hop Hook	16/6	"


No. 1 2 3 4 5

—	27	Malmesbury Pea Hook ...	20/-	22/6	25/-	28/-	31/- "
—	42	Banbury Pattern Eaves Hook	24/-	"
134	—	Devizes Pattern Thatcher's Hook	24/-	"
135	—	Ditto ditto ditto	24/-	"
136	—	Vraic Pattern Hook	10/-	"
137	—	Ditto ditto	10/-	"





ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE ·



Numbers with F attached are Fussell's Patterns, marked FUSSELL.



COPYRIGHT.

ENTD AT STATIONERS' HALL.



INDEX.

BILL HOOKS, BROOM HOOKS, and SOCKET BILL HOOKS.

A			PAGE			O			PAGE		
Abingdon Bill	43	Hedging Bill	42	Oxford Bill	41
B				Hedging Broom	45	Oxford, Duckett's, Bill	41
Banbury Broom	45	Hereford Bill	42	Offley Socket Bills	46
Bath Bill	43	Hereford Broom	45	P			
Bedford Socket Bill	46	Hertfordshire Socket Bills	46	Pontypool Bill	42
Berkshire Bill	41	Hurdling Bill	41	R			
Block Bill	44	I				Roach Back Bill	43
Block Socket Bill	46	Isle of Wight Bill	41	Rutland Bill	43
Bristol Bill	43	Imber Bill	43	S			
C				Irish Broom	45	Salisbury Bill	43
Caergwrle Bill	42	K				Sevenoaks Bill	44
Canterbury Bill	41	Kent Bill	41	Shropshire Bill	42
Charts' Bills	41	Kent Broom	45	Shropshire Broom	45
Charts' Socket Bill	46	Kent Rips	45	Spar Bill	43
Cheltenham Socket Bill	46	Kent Socket Bill	46	Stafford Bill	43
Chichester Bill	41	Kington Bill	42	Stafford Broom	45
Chippenham Bill	44	Knapman Bill	44	Stratford Broom	45
Cutting Down Bill	41	Knighton Bill	42	Suffolk (Light) Socket Bill	46
D				L				Suffolk (Strong) Socket Bill	46
Dorset Bill	44	Ledbury Bill	42	Surrey Bill	41
Downton Bill	44	Leek Bill	42	Sussex Bill	41
Duckett's Oxford Bill	41	Leicestershire Broom	45	Swindon Bill	43
E				Lincoln Broom	45	T			
Epsom Bill	41	Llandilo Bill	43	Tetbury Bill	43
F				Llanelly Bill	42	Tetbury Socket Bill	46
Faggoting Bill	41	M				Trowbridge Bill	44
Farringdon Bill	44	Moss's No. 1 Bill	41	Trowbridge Projection Bill	44
Folkestone Bill	41	Moss's No. 2 Bill	41	U			
Fordingbridge Bill	44	Maidstone Bill	44	Utttoxeter Bill	45
G				Martock Bill	44	Uxbridge Socket Bill	46
Gentlemen's Broom	45	Monmouth Bill	42	W			
Gravesend Bill	41	N				Warminster Bill	43
H				Natal Broom	45	Watford Socket Bill	46
Half Turn Bill	44	Newport Bill	42	Wells Bill	43
Hampshire Bills	41	Newtown Bill	42	Wiveliscombe Bill	43
Hay Bill	42	Norfolk Bill	44	Woodman's Bill	42
				Nottingham Broom	45	Woodrow Bill	44
								Woodstock Socket Bill	46

SECTION V.

EDGE TOOLS.

SUB-SECTION B.

BILL-HOOKS, SLASHERS, AXES, HATCHETS, ADZES,
DRAWING KNIVES, CLEAVERS, CHOPPERS, &c.



370



367



396



408

BILL HOOKS, BROOM HOOKS, SOCKET BILL HOOKS and SLASHERS are measured from top of ferrule or socket to extreme end as shown by dotted lines in above engravings




BILL HOOKS.

No.	PATTERN.	7	7½	8	8½	9	9½	10	10½	11	11½	12 in.
253	Epsom	—	—	—	—	21/-	22/3	23/6	24/9	26/- per doz
254	Kent	—	—	21/-	21/3	21/6	22/-	22/3	24/9	27/- 29/6 31/- "
256	Chart's or Gravesend	—	—	24/9	26/-	27/-	28/6	29/6	31/-	32/-	33/-	34/- "
257	" Canterbury	—	—	24/9	26/-	27/-	28/6	29/6	31/-	32/-	33/-	34/- "
258	" Folkestone	—	—	24/9	26/-	27/-	28/6	29/6	31/-	32/-	33/-	34/- "
259	Hampshire or Isle of Wight	23/6	24/-	24/6	25/-	26/-	27/-	28/-	29/-	30/- 31/- 32/- "
260	Hampshire or Isle of Wight Cutting Down	—	—	24/6	25/-	26/-	27/-	28/-	29/-	30/- 31/- 32/- "
261	Hampshire Faggoting	—	—	24/6	25/-	26/-	27/-	28/-	—	—	—	— "
262	" Hurdling	—	—	24/6	25/-	26/-	27/-	28/-	—	—	—	— "
263	Chichester or Moss's No. 2	—	—	20/6	20/6	20/6	20/6	21/-	22/-	24/- 25/- 27/- "
264	Sussex	23/6	24/-	24/6	25/-	26/-	27/-	28/-	—	— — — "
268	Berkshire or Moss's No. 1	23/-	23/6	24/-	24/6	25/-	25/6	26/-	26/6	27/- 28/- 29/- "
269	Oxford	—	—	—	—	23/-	23/6	24/-	24/6	25/- 25/6 26/6 "
270	Surrey	—	—	21/-	21/6	22/3	23/-	23/6	—	— — — "
368	Duckett's Oxford	...	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3 27/6 "

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



253



254



256



257



258



259



260



261



262




263



264



268



269



270



368



BILL HOOKS.

No.	PATTERN.		9	9½	10	10½	11	11½	12 inch.
277C Knighton	21/-	21/6	22/3	24/9	27/-	29/6	31/- per doz.
278 Shropshire	21/6	22/-	22/3	24/9	27/-	29/6	31/- "
279 Woodman's	23/6	24/-	24/9	27/-	29/6	32/-	34/- "
280 Kington	21/6	22/-	22/3	24/9	27/-	29/6	31/- "
281 Hedging	21/6	22/-	22/3	24/9	27/-	29/6	31 - "
282 Hay	21/6	22/-	22/3	24/9	27/-	29/6	31/- "
283 Pontypool	23/6	24/-	24/9	27/-	29/6	32/-	34/- "
283A Monmouth, Solid Steeled			—	—	30/-	32/-	—	—	— "
284 Newtown	21/-	21/-	21/6	22/3	24/9	26/-	27/- "
286 Hereford	21/6	22/-	22/9	24/-	26/9	29/6	31/- "
287 Ledbury	21/6	22/-	22/9	24/-	26/9	29/6	31/- "
288 Llanelly	21/6	22/-	22/3	24/9	27/-	29/6	31/- "
362 Caergwrle	20/6	20/6	20/6	22/-	23/6	25/-	27/- "
363 Leek	21/6	22/-	23/-	24/-	24/6	25/6	26/6 "
364 Newport...	21/6	22/-	22/3	24/9	27/-	29/6	31/- "

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



277 C



278



279



280



281



282



283



283 A




284



286



287



288



362



363





364



BILL HOOKS.

No.	PATTERN.	6	6½	7	7½	8	8½	9	9½	10	10½	11	11½	12 inch.
285	Stafford ...	—	—	—	—	—	—	21/-	21/-	21/-	23/6	25/9	28/3	30/- per doz.
365	Abingdon ...	—	—	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
366	Bath ...	—	—	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
367	Bristol ...	21/6	21/6	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
369	Imber ...	—	—	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
370	Llandilo ...	—	—	—	—	—	—	—	22/6	23/-	24/-	26/-	28/-	31/- "
371	Roach Back ...	—	—	—	—	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	— "
372	Rutland ...	—	—	—	—	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	— "
373	Salisbury ...	21/6	21/6	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
374	Spar ...	16/-	16/-	16/6	16/6	17/-	17/-	18/-	18/-	18/6	—	—	—	— "
375	Swindon ...	—	—	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
376	Tetbury ...	—	—	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
377	Warminster ...	—	—	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
378	Wells ...	—	—	—	—	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
379	Wiveliscombe—	—	20/-	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE






BILL HOOKS.

No.	PATTERN.	7	7½	8	8½	9	9½	10	10½	11	11½	12 inch.
255	Block ...	—	—	22/6	23/-	23/6	25/-	26/-	27/-	28/6	—	— per doz.
265	Norfolk ...	—	—	—	23/-	23/6	24/-	24/9	26/-	27/-	28/-	30/- "
380	Trowbridge Projection	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
381	Trowbridge...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
382	Chippenham	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
383	Dorset ...	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
384	Downton ...	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
385	Farringdon ...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
386	Fordingbridge	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
387	Half Turn ...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
388	Maidstone ...	21/-	21/-	21/6	22/6	23/-	24/-	24/6	25/-	26/-	27/-	28/- "
389	Martock ...	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "
390	Sevenoaks ...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
391	Woodrow ...	20/-	20/-	20/-	20/-	20/-	20/6	21/-	22/3	23/6	24/9	26/- "
392	Knapman ..	21/6	21/6	21/6	21/6	21/6	22/-	22/6	23/9	25/-	26/3	27/6 "

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE






BROOM HOOKS.

No.	PATTERN.	7	7½	8	8½	9	9½	10	10½	11	11½	12 inch.
271	Shropshire	...	—	—	—	21/6	22/6	23/6	24/6	26/-	29/-	32/- 34/- per doz.
272	Stafford	—	—	—	21/-	21/-	21/6	22/3	24/9	27/-	29/6 31/6 "
273	Nottingham	...	—	—	—	—	22/3	23/6	24/9	26/-	27/-	28/6 29/6 "
274	Lincoln	—	—	—	—	22/3	23/6	24/9	26/-	27/-	28/6 29/6 "
275	Banbury	—	—	—	—	22/3	23/6	24/9	26/-	27/-	28/6 29/6 "
276	Kent	—	—	21/6	22/-	22/6	23/-	23/6	26/-	28/6 30/6 32/6 "
289	Gentlemen's Bright											
	Cast-steel, Polished	22/-	22/-	22/3	23/-	24/-	—	—	—	—	—	"
	Handles									
393	Bright Kent Rips ...	—	—	—	—	23/-	23/6	24/9	27/-	—	—	— "
394	Hereford	—	—	—	22/6	23/-	24/-	24/6	25/6	27/-	29/6 31/6 "
395	Hedging	—	—	—	22/6	23/-	24/-	24/6	25/6	27/-	29/6 31/6 "
396	Natal	...	—	—	—	—	23/6	24/-	25/-	26/-	—	— "
397	Leicestershire	...	—	—	—	22/-	22/3	23/6	24/9	26/-	27/-	28/6 29/6 "
398	Irish	...	—	—	—	21/-	21/-	22/-	22/6	23/6	24/-	25/6 27/- "
399	Uttoxeter	—	—	—	22/-	22/6	23/-	24/-	24/6	25/-	26/- 28/- 30/- "
400	Best Warranted Cast-steel Bright Stratford, 41/- per doz.											


ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




271



272



273



274



275



276




289



393




394



395




396




397



398



399



400



SOCKET BILL HOOKS.

No.	PATTERN.	7½	8	8½	9	9½	10	10½	11	11½	12 inch.
266	Suffolk, light, } handled ... }	-	-	23/-	23/6	24/-	24/6	26/-	27/-	28/-	30/- per doz.
267	Suffolk, strong, } handled ... }	-	-	25/-	26/-	27/-	28/-	29/6	31/-	32/-	34/- "
290	Kent ...	-	-	22/-	23/6	24/-	24/9	27/-	29/9	32/-	34/- "
291	Chart's ...	-	27/3	28/6	29/6	31/-	32/-	-	-	-	- "
292	Block ...	-	24/-	25/-	26/-	27/6	28/6	29/6	31/-	33/-	35/- "
293	Offley, small bill	-	-	-	23/6	24/-	25/-	27/-	-	-	- "
294	„ large bill	-	-	-	23/6	24/-	25/-	27/-	-	-	- "
401	Cheltenham ...	-	21/6	22/-	23/6	24/-	24/9	27/-	29/9	32/-	34/- "
402	Uxbridge ...										
403	Watford ...										
404	Bedford, Solid } Steeled (handled } extra) ... }	23/-	24/-	25/-	26/-	27/6	28/6	29/6	31/-	33/-	35/- "
405	Woodstock ..	-	-	-	-	27/6	28/6	29/6	31/-	33/-	35/- "
406	Hertfordshire, } full edge }	23/-	24/-	25/-	26/-	27/6	28/6	29/6	31/-	33/-	35/- "
407	Hertfordshire, } straight edge }	23/-	24/-	25/-	26/-	27/6	28/6	29/6	31/-	33/-	35/- "
408	Tetbury ...	21/-	21/6	22/-	23/6	24/-	24/9	27/-	29/9	32/-	34/- "

Handled, 5/- dozen extra.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



266



267



290



291



292



293



294



401



402



403



404



405



406



407




408



SLASHERS.

No.	7	8	9	10	11	12	13	14	15	16 inch.
308 Manchester Pattern Switch- ing Bills or Slashers ...	— 36/- 37/- 38/6 41/- 43/6 47/- 52/- 55/- 64/- per doz.									
309 Spear Point or Melton Pattern	32/- 32/- 33/6 34/6 35/9 37/- 38/6 39/6 41/- 43/- "									
310 Double Edge Switching Bills or Slashers	37/- 39/- 40/- 42/- 45/- 48/- 51/- 56/- 59/- 65/- "									
311 General Pattern Slashers, best finish	31/- 32/6 33/6 35/- 37/6 40/- 43/6 47/- 50/- 56/- "									
311B Ditto, Black finish	27/- 28/6 29/6 31/- 33/6 36/- 39/6 43/- 47/- 52/- "									
No. 1 2 3										
314 Yorkshire Pattern 36/- 37/- 38/6										
315 Best Bright and Blued Socket Slashers or Furze Hooks	23/- 23/6 24/6 26/- 27/- 28/- 30/- 32/- 34/6 37/- "									
316 Strong Double Edge Slashers	38/- 40/- 42/- 44/- 47/- 50/- 53/- 58/- 61/- 67/- "									

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





SLASHERS.

No.		7	8	9	10	11	12	13	14	15	16 inch.
735	Sir Tatton Sykes' Pattern ...	30/6	31/6	32/6	34/6	36/6	39/-	41/6	44/-	49/-	55/- per doz.
736	Old Lincoln Pattern	28/-	30/-	32/-	34/-	36/-	38/-	—	—	—	—
737	Bright Cast Steel Straight Edge Pattern ...	34/6	36/-	37/-	38/6	41/-	43/6	47/-	50/-	52/-	58/- "
738	Bright Cast Steel General Pattern	34/6	36/-	37/-	38/6	41/-	43/6	47/-	50/-	52/-	58/- "
739	Dunse Pattern Cutting-over Slashers...								5 $\frac{3}{4}$	6 $\frac{1}{2}$	7 inch.
								34/6	36/-	37/6	per doz.
740	Dunse Pattern Pruning Slashers							6 $\frac{1}{4}$	8	8 $\frac{1}{2}$	9 $\frac{1}{2}$ inch.
								27/-	28/6	29/6	31/- per doz.
741	Hand Slashers, Best Finish							7	8	9	10 inch.
								27/6	28/-	29/-	34/6 per doz.
	" " Black							25/6	26/-	27/-	32/- "
742	Best Bright Cast Steel Improved Trimmers, or Hand Slashers, with Back							34/6	35/-	37/-	40/- "

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



735



736



737



738



739



740



741



742



AXES.

No.		To	1½	1¾	2	2½ lbs. and up.
317	Steel Poll Broad Kent ...	1/-	-/11	-/10½	-/8¼	per lb.
321	" " Marychurch Pattern, Lopping					
322	" " Single Cheek Yorkshire ...					
325	" " Scotch ...					
	" " " Blued ...	1/1	1/-	-/11½	-/9¼	"
328	" " Solid Steeled Chichester Lopping	1/1¼	1/0¾	1/0¼	-/10	"
331	" " Chart's Lopping ...	1/-	-/11	-/10½	-/8¼	"
332	" " Irish Axes ...					
334	" " Wantage Lopping ...	1/1	1/-	-/11	-/10	"
336	" " Norfolk ...	1/-	-/11	-/10½	-/8¼	"
760	" " Suffolk ..					
761	" " Hedging, Single Cheek ...					
762	" " Kent Side Axes ...	1/1	1/-	-/11½	-/9¼	"
763	Wycombe Chair Makers' Axes ...					
764	Steel Poll Single Cheek Shipwrights' Axes	—	—	—	-/8¼	"
765	" " Shipwrights' Side Axes ...	—	—	—	-/9¼	"
766	" " Double Cheek Shipwrights' Axes	—	—	—	-/8¼	"
767	Round Poll Shipwrights' Axes ...	—	—	—	-/8¼	"

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



317



321



322



325



328



331



332



334



336



760



761



762



763



764



765



766




767


AXES.

No.											2½ to 3½	Above 3½ lbs.	
769	Solid	Steeled	Bright and	Blued	Broad	Pattern "Canada"					}	1/-	-/11 per lb.
770	"	"	"	"	"	Wedge Axes							
771	"	"	"	"	Narrow	"	"	"	"				
					3	3½	4	4½	5	5½	6	6½	7 lbs.
Handled with 36in. best Hickory Handles ... }					46/-	52/-	54/-	59/6	65/-	70/6	76/-	81/6	87/- doz.
772	Steel	Poll	Broad	Axes	To 1½	1¾	2	2½ lbs. and up.	
	"	"	"	Blued	1/1	1/-	-/11½	-/8¼ per lb.	
773	Steel	Poll	"London"	Wheelwrights'	Axes	—	—	—	—	—	—	-/9¼ "	
774	"	"	"Newtown"	"	"	—	—	—	—	—	—	-/9¼ "	
775	"	"	"Welsh"	"	"	—	—	—	—	—	—	-/9¼ "	
776	"	"	"Manchester"	"	"	—	—	—	—	—	—	-/9¼ "	
777	"	"	General	Pattern	"	"	—	—	—	—	—	-/9¼ "	
778	"	"	Coach	Side	Axes	—	—	—	-/10¼ "	
779	"	"	Crate	Axes	—	—	—	-/9¼ "	
780	"	"	Kent	Hop-pole	Side	Axe	...	—	—	—	—	-/10¼ "	
										9	10	11	12 inch.
781	Coopers'	Axes	38/-	40/-	42/-	44/- per doz.	
782	Steel	Poll	Rafting	Axes	—	—	—	-/8¼ "	
783	"	"	Mortice	Axes	—	—	—	-/8¼ "	
784	"	"	Single	Cheek	Yorkshire	Felling	Axes	...	—	—	—	-/8¼ "	

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



769




770



771



772




773



774



775



776



777



778



779




780



781



782



783




784

AXES.


No.		2½ to 3½ lb.	Above 3½ lbs.
326	Nash's Solid Steeled Bright and Blued "Canada" } Wedge Axes, Standard Pattern	1/-	-/11 per lb.
327	Nash's Solid Steeled Bright and Blued "Canada" } Wedge Axes, Narrow Pattern	1/-	-/11 "
769	ada" }	1/-	-/11 "
3	3½	5	6½
6/-	52/-	5	70/6
			81/6
			87/- per doz.
318	Steel Poll Solid Steeled Kent } Pattern Felling Axes		-/10 per lb.
319SS	Steel Poll Solid Steeled Kent } Felling Axes		-/10 "
319	Steel Poll Steeled ditto ditto		-/8½ "
		To 1½	1¾
		2	2¼ lbs. and up
330	Steel Poll Kent Axes	1/-	-/11
		-/10½	-/8½ "
330SS	" " Solid Steeled Kent Axes	1/1	1/-
		-/11½	-/9½ "

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE

Engravings Nos. 326 and 327 are half actual size of the weights indicated.



Engravings Nos. 318, 319, and 330 are $\frac{1}{2}$ of the weights indicated.





HATCHETS AND HANDLED AXES.

BEST SELECTED HANDLES.

No.		2	3	4	5	6	
295	Bright and Blued Steel Poll Hatchets	14/-	17/6	19/6	22/6	25/-	27/- 30/- per doz.

298	Steel Poll Hatchets	14/-	14/6	16/6	18/6	20/6	22/6	24/6	"
------------	---------------------	-----	-----	-----	------	------	------	------	------	------	------	---

Weight of Head $1\frac{1}{2}$ $1\frac{3}{4}$ 2 $2\frac{1}{2}$ 3 $3\frac{1}{2}$ 4 $4\frac{1}{2}$ 5 lbs.

330H Handled Joiner's or Kent Axes—

Ordinary ... 20/- 22/- 24/- 26/- 30/- 34/- 38/- 42/- 46/- per doz.



Solid Steeled ... 24/- 26/- 28/- 30/- 34/- 40/- 44/- 48/- 52/- "

$1\frac{1}{2}$ 2 $2\frac{1}{2}$ lbs.

785 Solid Steeled Bright and Blued Canada Pattern Hatchets 34/- 36/- 38/- per doz.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE

Engravings on this page are quarter actual size of the sizes and weights indicated.



295
No. 4



298
No. 4

330H
Ordinary
2½ lbs.

785
2 lbs.



ADZES AND SHINGLING HATCHETS.

No.		No. 1	2	3	4
795	Carpenters' Adzes	29/6	31/9	35/3	37/- per doz.
796	Best Warranted Carpenters' Adzes, half } bright and japanned }	36/6	38/9	41/9	44/- "
797	Spout or Guttering Adzes	36/6	39/-	42/-	44/- "
798	American Pattern Ship Adzes	—	—	42/-	— "
799	Australian or Wheelers' Square Polled } Adzes, blued or bronzed }	43/6	46/-	49/6	53/- "
800	Joiners' or House Carpenters' Adzes ...	29/6	31/9	35/3	37/- "
801	Hatchet Eye Fencers' or Wheelers' Adzes	42/-	44/-	48/-	52/- "
802	Best Coopers' Sharp Adzes, blued ...	32/-	34/-	36/-	40/- "
	" " " black ...	29/-	31/-	33/-	37/- "
803	Best Coopers' Notching Adzes, chequered } and clawed, black }	31/-	33/-	35/-	38/- "
	Ditto ditto blued	34/-	36/-	38/-	41/- "
804	Coopers' Howells	23/6	26/-	28/3	— "

SHINGLING HATCHETS.

No.		No. 1	2	3	4
809	Cast Steel Bright and Japanned Shingling } Hatchets }	20/-	21/-	22/-	23/- per doz.
810	Cast Steel Bright and Japanned American } Pattern Shingling Hatchets }	22/-	25/-	28/-	— "
811	Cast Steel Bright and Japanned American } Pattern Shingling Hatchets, with Claw }	23/6	27/-	30/-	— "
812	Ditto ditto ditto				

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



795



796



797



798



799



800



801



802




803



804



809



810



811



812




COOPERS' TOOLS.

No.		6	7	8	9	10	11	12 inch.
679	Platers' Shears or Tinmen's Snips	—	—	20/-	24/-	27/-	33/-	36/- doz.
679B	Ditto Ditto Bent	—	—	35/-	38/-	42/-	46/-	51/- "
680	Cast Steel Bench or Paring Knives	88/-	95/-	104/-	115/-	119/-	130/-	143/- "
681H	{ Cast Steel Carpenters' Drawing	8	9	10	11	12	13	14 inch.
	{ Knives, with Handles, Brass	28/6	30/-	32/-	35/-	38/-	41/6	45/6 doz.
682H	{ Caps and Ferrules							
681	{ Ditto Ditto Ditto	22/-	23/6	25/6	28/6	31/6	35/-	39/- "
682	{ without Handles							
683H	Cast Steel London Drawing Knives,							
	with Handles, Brass Caps and	28/6	30/-	32/-	35/-	38/-	41/6	45/6 "
	Ferrules... ..							
683	{ Ditto Ditto Ditto	22/-	23/6	25/6	28/6	31/6	35/-	39/- "
	{ without Handles							
684	Cast Steel Coopers' Straight							
	Heading Knives, 2 in. wide, Bright	—	—	32/6	35/6	38/6	—	— "
	and Blued, Handled... ..							
685	Cast Steel Coopers' Circular							
	Heading Knives, 2½ in. wide,	36/-	37/-	37/6	41/-	44/-	—	— "
	Bright and Blued, Handled ...							
686	Cast Steel Coopers' Broad Hol-							
	lowing Knives, London Pattern	36/6	39/6	42/6	45/-	—	—	— "
687	Cast Steel Ditto Ditto							
	Liverpool Pattern	41/6	42/6	45/6	48/6	—	—	— "
In ordering Hollowing Knives say if in or out Cannelled or Steeled.								
688	Cast Steel Coopers' Jigger Knives,							
	Cannelled Inside	2½	2¾	3	3½	4	4 inch.	
689	Cast Steel London Pattern Ditto	30/-	31/-	34/-	36/-	37/-	37/- doz.	
	Cannelled Outside							
690	Gentlemen's Box Handle C.S.	4	4½	5	5½	6	6½	7 inch.
	Drawing Knives	20/-	22/-	24/-	26/-	28/-	30/-	32/- doz.
691	Burton Pattern Coopers' Drivers	30/- "
692	Coopers' Nail Punches	12/- "
693	" Rivet "	16/- "
694	" Vices	20/- "
695	" Froes	1/2 lb.
696	" Flagging Irons	30/- doz.
697	" Two-handed Cast Steel Round Shaves	23/- "

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



679




680




681 H



682 H




683 H



684



686



688



695



696



691



694



692



693



697



CLEAVERS AND CHOPPERS.

No.

339	Bright Cast Steel, Iron Handle Butchers' Cleavers	$\frac{3\frac{1}{2}}{-9}$ lbs. and above	Under $\frac{3\frac{1}{2}}{-10}$ lbs. per lb.
------------	---	---	---

No. 1 2 3 4 5

340	Bright Cast Steel, Iron Handle Choppers	26/-	28/-	31/-	34/-	38/- doz.
------------	---	------	------	------	------	-----------

342	Bright Cast Steel, Scale Tang Butchers' Cleavers	$\frac{3\frac{1}{2}}{1/2}$ lbs. and above	Under $\frac{3\frac{1}{2}}{1/4}$ lbs. per lb.
------------	--	--	---

344	Bright Cast Steel, Scotch Pattern Cleavers	$\frac{3\frac{1}{2}}{1/1}$ lbs. and above	Under $\frac{3\frac{1}{2}}{1/2}$ lbs. per lb.
------------	--	--	---

Ditto ditto ditto with Scale Tang Handles 1/3 1/5 "

No. 0 1 2 3 4 5 6

347	Bright Warranted London Choppers	21/-	21/-	23/6	26/-	28/6	31/-	33/6 doz.
------------	----------------------------------	------	------	------	------	------	------	-----------

348	Bright, Wood Handle Choppers ...	16/-	16/-	18/6	21/-	23/6	26/-	28/6 "
------------	----------------------------------	------	------	------	------	------	------	--------


349	Bright Solid Cast Steel Smithfield Choppers, } with Scale Tang Handles ...	8 47/-	9 52/-	10 57/-	11 63/-	12 inch. 70/- doz.
------------	---	-----------	-----------	------------	------------	-----------------------

Bright Solid Cast Steel Smithfield Choppers, }
with Round Handles, as No. 823 35/- 39/- 44/- 48/- 52/- "


No. 1 2 3 4 5 6

821	Bright Warranted Devon Choppers ...	23/6	25/-	27/-	30/-	33/-	36/- doz.
------------	-------------------------------------	------	------	------	------	------	-----------

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



339




340




342




344




347



348



349



821

CLEAVERS, CHOPPERS, &C.

No.											
320	Smithfield Pole Axes	46/6	doz.	
350	Bright Solid Cast Steel Lamb Choppers, with Round Handles	} 8 26/-	8½ 27/-	9 28/6	9½ 30/-	10 31/6	10½ 33/-	11 38/6	11½ 40/-	12 inch. 44/-	doz.
350 ST	Bright Solid Cast Steel Lamb Choppers, with Scale Tang Handles	}	33/-	34/6	35/6	37/-	38/6	42/-	46/-	49/-	"
822	Pig Killing Hammers	36/-	doz.	
823	Bright Solid Cast Steel Calf Choppers, with Round Handles	}	10 31/6	10½ 33/-	11 38/6	11½ 40/-	12 inch. 44/-	doz.
	Bright Solid Cast Steel Calf Choppers, with Scale Tang Handles, as No. 349	}	36/6	38/-	43/-	45/-	49/-	"			
824	Bright Warranted Irish Choppers	No. 6 32/-	7 35/-	8 37/-	9 40/-	"		
825	Bright Warranted Nottingham Choppers,	No. 1 36/-	2 38/6	3 41/-	4 43/-	5 45/6	6 48/6	"			
826	Bright Cast Steel Solid Socket Dough Scrapers, with Wood Handles	20/-	"								
827	Half-Bright Dough Scrapers, with Wood Handles	14/-	"								
828	Bright Cast Steel Dough Scrapers, with Fancy Wood Handles	17/-	"								
829	Solid Cast Steel Pig Scrapers, with Hook	20/-	"								
830	Bright Solid Cast Steel Steak Beaters	23/6	"								
831	Bright Cook's Meat Choppers, polished Handles	No. 1 12/6	2 14/6	3 16/-	"						
832	Wood Choppers, polished Handles	6/-	6/6	7/-	"				

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




320




822




826



827



828




829




830




350




350 ST



823




824




825



831



832



SECTION VI.

HAMMERS.

Sole Manufacturers of the



Joiners', Farriers', and other Hammers.



ENGINEERS', JOINERS', & FARRIERS' HAMMERS.

CAST STEEL ENGINEERS' HAMMERS.

No. 200	No. 201	No. 487
Ball Pane.	Cross Pane.	Straight Pane.
1½ lbs. and up	-/10 per lb. (1/10½ per kilo.)
1 lb. and under	10/- per doz.

STOCK SIZES.

3	4	6	8	12	16 ozs.	1½	1½	1¾	2	2½	2½	2¾	3 lbs.
·085	·113	·170	·226	·340	·450	·56	·68	·79	·90	1	1·12	1·24	1·35 kilo.

No. 467

NASH'S IMPROVED SOLID CAST STEEL FARRIERS' NAILING-ON HAMMERS.

Best Selected White Oval English Ash Handles.

	No. 467	No. 467/3
Width of Face ¾ ¾ inch.
Weight of Head 11 12½ oz.
Weight complete... 14½ 16 "
Price 25/- 30/- doz.

With Rough Holly Handles, same prices.

No. 462

NASH'S SOLID CAST STEEL HANDLED JOINERS' HAMMERS.

Carefully Hardened and Tempered, and all Warranted.

Polished Oval Best Selected Handles.

Size No. 0	1	2	3	4	5	6	7	8	9	10
13/-	13/-	14/-	15/-	17/-	19/-	22/-	25/-	28/-	31/-	34/- per doz.

No. 462 H

NASH'S SOLID CAST STEEL JOINERS' HAMMER HEADS.

Carefully Hardened and Tempered, and all Warranted.

Size No. 0	1	2	3	4	5	6	7	8	9	10
11/-	11/-	12/-	13/-	15/-	17/-	20/-	23/-	26/-	29/-	32/- per doz.



ENGRAVING IS ACTUAL SIZE OF A No. 6.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



200


Engravings No. 200, 201, and 487 are half actual size of 1½ lb. Hammers.



201




487



467

Engraving is half actual size.




462

Engraving is half actual size of a No. 2.




HAMMERS.




ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




463



473



Three assortments in
a Dozen.




472




464




465



466



492




469




470




471




493



468



494



495



HAMMERS.

No.	Size No. 1	2	3
474 Best Wrought Handled Coal Hammers...	16/-	18/-	20/- per doz.
475 Wrought Handled Coal Hammers ...	9/6	11/-	13/- "
476 Special Wrought Handled Coal Hammers	8/-	—	—
477 Packers' or Grocers' Hammers ...	26/-	30/-	—
478 Bricklayers' Hammers, handled	20/-	"
" " heads only	18/-	"
478A Bricklayers' Hammers, heads only	18/-	"
" " handled	20/-	"
479 Slaters' Hammers, strapped pattern	36/-	"
479A " " " " without claw.	34/-	"
480 Masons' Scutch Hammers	22/-	"
" " " handled	24/-	"
481 Bright Lath Hammers ...	Size No. 1 16/-	2 18/-	3 20/- "
482 Solid Cast Steel Handled Bench Hammers, } Polished Oval Handles ... }	1 1 1/4 1 1/2 2 2 1/2 3 lbs. 16/6 17/- 18/3 21/6 25/9 29/6 "		
<i>Straight Pane, No. 483, Double Face No. 483A, same prices.</i>			
Guaranteed weight of Copper Head 6 8 10 12 14 16 18 20 24 ozs.			
484 Patent Soldering Irons, } Copper Bits ... }	17/- 18/6 21/- 23/- 25/- 27- 30/- 32/- 36/- "		
485 Ordinary Soldering Irons, } Copper Bits ... }			
The Copper Bit in pattern 484 may be instantly adjusted to any required angle.			
496 Plumbers' Soldering Irons	-/10 per lb.
497 Case Opening Hammers ...	Size No. 1 20/-	2 24/- per doz.	
498 Bright Solid Cast Steel Handled } Club Hammers ... }	1 1/4 1 1/2 2 2 1/2 3 lbs. 17/- 18/3 21/6 25/9 29/6 "		

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE






HAMMERS.

No.							Per lb.
193	Cast-Steel Stonemasons' or Quarry Hammers	-/8
194	" Stone Hammers, Round Eyes	-/8
195	" Double-Face Stone Hammers	-/8
					6 lbs. and under.	Over 6 lbs.	
197	" Railway Keying Hammers	-/6	-/5½ per lb.	
486	" Egg-Shape Stone Hammers, Round Eyes		1/-	"
					6 lbs. and under.	Over 6 lbs.	
488	" Miners' or Drill Hammers, Round Faces				-/6	-/5½ per lb.	
489	" " " " Taper Pattern,						
	Octagon Faces	-/6	-/5½ "
							Per lb.
490	" Walling Hammers	-/6
490A	" " " " " " " "	-/6

SLEDGE HAMMERS.

					6 lbs. and under.	Over 6 lbs.
187	Cast-Steel Sledge Hammer, Straight Pane			
188	" " Double Face			
491	" " Cross Pane		-/6	-/5½ per lb.
491A	" " Ball Pane		

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



193



490 A



195



490



488



197



489




194



486



187



188



491



491 A



HAMMERS.

No.		1 lb. and under.	1½ lb. and up.
198	Cast-Steel Boiler Scaling Hammers		
199	" " " " " " " " " " " "		
840	" Double Pane Boiler Maker's Hammers ...	Per doz. 10/-	Per lb. -/10
841	" " " " " " " " " " " "		
842	" Cross Pane " " " " " " " " " "		
843	" Ball Pane " " " " " " " " " "		
		6 lbs. and under.	over 6 lbs.
203	" Pin Mauls	-/8½	-/8 per lb.
844	" Club Hammers	-/6	-/5½ "
	" " all Bright	-/7¼	-/7 "
845	" Square Body Mash Hammers	1/2	1/- "
846	" Round " " " " " " " " " "	1/2	1/- "

FARRIERS' HAMMERS.

190	Cast Steel Farriers' Hammers, 2½ lbs. and up	-/8 per lb.
	" " all Bright	-/10 "
847	NASH'S IMPROVED PATTERN CAST-STEEL FARRIERS' SHOE TURNING HAMMERS	1/6 "
848	Cast-Steel Farriers' Cat's-Head Hammers	1/8 "
849	" Shoe Turning Hammers	1/4 "
850	" " " " " " " " " " " "	1/4 "

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



198



199



840




841




842




843




203




845




844



846




190



847



849




848



850



SECTION VII.



ANVILS, VICES, AND SMITHS' TOOLS.



ANVILS, &c.

BEST WARRANTED TIED-IN ANVILS.

No.										WEIGHTS, from 84 lbs to 5 cwt. PER CWT.
175	Ordinary Smith's or London Pattern	32/-
176	Farrier's	33/4
177	Coach Smith's	33/4
178	Engineer's, with raised Steeled Table	33/4
180	Soho,	"	"	"	"	36/-
179	Double Bick Anvil	33/4
856	" " " Bicks flush with Face	36/-

BEST WARRANTED SOLID ANVILS.

3/- per cwt. extra (in all patterns).

EXTRAS NET.	Steeled Bicks	1/- per cwt. extra.
	Over 5 cwt	1/- " "
	Anvils smaller than 84 lbs. extra as follows:—			
	83 to 56 lbs.	55 to 30 lbs.	29 to 20 lbs.	
	2/-	6/6	16/- per cwt.	
	Anvils smaller than 20 lbs. quoted for on application.			

ANVIL STANDS, SWAGE BLOCKS, AND TUYERE IRONS.

181	Cast Iron Anvil Stands	PER CWT. 16/-
182	" " Swage Blocks							
	Size No. 1	2	3	4	5			16/-
	13 x 13 x 4½	14 x 14 x 4½	16 x 16 x 5½	18 x 18 x 6	20 x 20 x 7 ins.			
223	Improved Wrought Iron Water Tuyere Irons, with Pipes complete							
	Up to 17	18 in. and above.						
	1/1	1/4 per inch.						

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



175



175

Small Anvils made in any pattern to order.




(Ordinary Smiths' Pattern.)


Best warranted SOLID Anvils made in any pattern to order.



176



177



178




179




180




856



181



182



223



ANVILS, BICK IRONS, AND VICES.

No.	BEST WARRANTED TIED-IN ANVILS.										WEIGHTS from 84 lbs. to 5 cwt. PER CWT.
857	Boiler Maker's	34/8
858	Saw Maker's	33/4
859	Edge Tool Maker's	34/8
860	Anvil, without Bick	32/-
861	Bar Iron Anvil	32/-
862	Edge Tool Maker's	34/8
863	Chain Maker's	34/8

BEST WARRANTED SOLID ANVILS.

3/- per cwt. extra (in all patterns).

BEST WARRANTED BICK IRONS AND ANVIL STAKES.

No.											From 10 to 20 lbs.	Above 20 lbs.
864	Smith's Bick Irons	1/2	1/- lb.
865	Cooper's Bick Irons		
866	Anvil Stakes		
867	Ditto ditto		

BEST WARRANTED VICES.


OF SUPERIOR QUALITY AND FINISH, WITH LATHE-TURNED BOXES AND PINS.

No.											WEIGHTS from 31 lbs. up PER CWT.
183	Best Warranted <i>BLACK</i> Staple Vices, with solid wrought iron boxes ORDINARY PATTERN	50/-
800	Best Warranted <i>BRIGHT</i> Staple Vices, with solid wrought iron boxes ORDINARY PATTERN	53/-
881	Best Warranted <i>BLACK</i> Staple Vices, with solid wrought iron boxes TURN-BACK STAPLE PATTERN	50/-
882	Best Warranted <i>BRIGHT</i> Staple Vices, with solid wrought iron boxes MOVABLE STAPLE PATTERN, can be turned to any position	56/-
EXTRAS. Vices, with Spherical Gun-metal Washers, 2/8 per cwt. extra.											
Vices, 20 to 30 lbs 9/4 .. "											
184	Best Solid Wrought Iron Lathe-turned Vice Boxes and Pins	Per lb.
In ordering, the size of eye in vice should be stated.											
} 1/-											


BENCH, TABLE, AND HAND VICES.

No.											4 lbs. and up.	Under 4 lbs.	
883	Wrought Iron Black Bench Vices	1/5 per lb.	5/9 each.	
											Size No. 1	2	3
884	Wrought Iron Table Vices (BLACK)	31/-	34/-	38/-	per doz.			
„	Ditto ditto (BRIGHT)	35/-	39/-	50/-	„			
							Size 3½	4	4½	4¾	5	5½	6 inches.
885	Wrought Iron Hand Vices	19/-	24/-	26/-	30/-	34/-	38/-	47/-	55/-	per dozen.	

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



857




858




859




860



861



862



863




864




865




866



867




883




880




881




882



884



883



884



885

[illegible]

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



1150



1154



1152



1151




1155



1153



1156



1157




1159



1160



1161



1158



1163




1164




1165




1162



1167



1166



1168



1169




1170



1171



1174



1172



1175



1173



1176

BRITISH AND METRICAL MEASURES.

Inches.	Milli- mètres.	Inches.	Centi- mètres.	Inches.	Centi- mètres.	Inches.	Centi- mètres.	Inches.	Centi- mètres.	Inches.	Centi- mètres.
$\frac{1}{32}$	0·79	$1\frac{1}{8}$	4·76	5	12·69	$10\frac{1}{2}$	26·7	$17\frac{1}{2}$	44·5	36	91·4
$\frac{1}{16}$	1·58	2	5·07	6	15·23	$10\frac{3}{4}$	27·3	$17\frac{3}{4}$	45·0	3 ft.	
$\frac{3}{32}$	3·17	$2\frac{1}{8}$	5·39	$6\frac{1}{4}$	15·87	11	27·9	18	45·7	38	96·5
$\frac{1}{8}$	4·76	$2\frac{1}{4}$	5·71	$6\frac{1}{2}$	16·5	$11\frac{1}{4}$	28·5	$18\frac{1}{4}$	46·0	3 ft. 2 in.	
$\frac{3}{16}$	6·34	$2\frac{3}{8}$	6·03	$6\frac{3}{4}$	17·1	$11\frac{1}{2}$	29·2	$18\frac{1}{2}$	47·0		Mètre.
$\frac{1}{4}$	9·52	$2\frac{1}{2}$	6·34	7	17·8	$11\frac{3}{4}$	29·8	19	48·3	39 $\frac{3}{8}$	1·
		$2\frac{5}{8}$	6·66	$7\frac{1}{4}$	18·4	12 (1 foot)	30·5	20	50·8	40	1·016
	Centi- mètres.	$2\frac{3}{4}$	6·98	$7\frac{1}{2}$	19·0	$12\frac{1}{4}$	31·1	21	53·3	3 ft. 4 in	
$\frac{1}{2}$	1·26	$2\frac{7}{8}$	7·30	$7\frac{3}{4}$	19·6	$12\frac{3}{8}$	31·7	22	55·8	42	1·066
$\frac{5}{16}$	1·58	3	7·61	8	20·3	$12\frac{1}{2}$	32·3	23	58·4	3 ft. 6 in	
$\frac{3}{8}$	1·90	$3\frac{1}{4}$	7·93	$8\frac{1}{4}$	20·9	13	33·0	24 (2 ft.)	60·9	48	1·219
$\frac{7}{16}$	2·22	$3\frac{1}{2}$	8·25	$8\frac{1}{2}$	21·5	$13\frac{1}{2}$	34·2	26	66·0	4 ft.	
1	2·53	$3\frac{3}{4}$	8·57	$8\frac{3}{4}$	22·2	14	35·5		2 ft. 2 in.	54	1·372
$1\frac{1}{16}$	2·85	$3\frac{7}{8}$	8·88	9	22·9	$14\frac{1}{2}$	36·8	28	71·1	4 ft. 6 in.	
$1\frac{1}{4}$	3·17	$3\frac{5}{8}$	9·20	$9\frac{1}{4}$	23·5	15	38·1		2 ft. 4 in.	54 $\frac{5}{16}$	1·380
$1\frac{3}{8}$	3·49	$3\frac{3}{4}$	9·52	$9\frac{1}{2}$	24·1	$15\frac{3}{8}$	39·3	30	76·1	60	1·524
$1\frac{1}{2}$	3·80	$3\frac{1}{2}$	9·84	$9\frac{3}{4}$	24·7	16	40·6		2 ft. 6 in.		5 ft.
$1\frac{5}{8}$	4·12	4	10·16	10	25·4	$16\frac{1}{2}$	41·9	32	81·2	66	1·676
$1\frac{3}{4}$	4·44	$4\frac{1}{2}$	11·42	$10\frac{1}{4}$	26·0	17	43·2		2 ft. 8 in.	72	5 ft. 6 in.
								34	86·3	6 ft.	1·828
									2 ft. 10 in.		



BRITISH AND METRICAL WEIGHTS.

[illegible]

SECTION VIII.

**PICKS ; MINERS', RAILWAY CONTRACTORS',
AND ROADMEN'S TOOLS ;
WORKS TOOLS ; SHIP CHANDLERS',
MASONS', AND SLATERS' TOOLS.**



PICKS, PICKAXES, MATTOCKS, AND BEATERS.

5 lb. each and upwards.

No.		A Quality.		B Quality.		C Quality.	
		Solid Cast Steel Ends, Best Black Finish, Extra Polished Points.		Heavily Steeled Ends, Black Finish, Polished Points.		Steeled Ends, Self colour, Bright Points.	
212	Solid oval eye Picks	40/-	35/-	32/-	per cwt.	
213	" " " Pickaxes	40/-	35/-	32/-	"	
214	" " " Mattocks	41/6	36/6	33/6	"	
215	" " " Navvies' Picks	40/-	35/-	—	"	
216	" " " Stone Picks	50/-	—	—	"	
216A	" " " Quarry Picks	52/-	—	—	"	
217	" " " Platelayers' Beaters	...	44/-	38/-	—	"	

EXTRA—4 to 5 lb. 3/- per cwt. extra.

		4	4½	5	5½	6 lbs.
218	Solid oval eye Hammer Head					
	Miners' Picks	27/-	29/-	31/-	33/-
						35/- per doz.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



212



213




214



215



216



216 A



217



218



MINERS' TOOLS.

No.		2½ to 3	3¼ to 4¼	5 lbs. and up.
925	Top Mandrils	50/-	45/-	40/- per cwt
926	Bottom "	50/-	45/-	40/- "
927	Wedges	38/-	30/-	26/- "
928	"	38/-	30/-	26/- "
929	Steel Poll Miners' Axes	-/7 per lb.
			6 lbs. and under	over 6 lbs.
188	Cast Steel Sledge Hammers	-/6	-/5½ per lb.

Every description of Miners' Tools made to any pattern required.

MINERS' TOOLS IN SETS.

SET No. 1.

	s.	d.	s.	d.
1—6 lbs., No. 926—Bottom Mandril @ 40/- per cwt. ...	2	2		
1—3¾ lbs., ditto ditto @ 45/- " ...	1	6		
3—2½ lbs., No. 925—Top ditto = 7½ lbs. @ 50/- per cwt. ...	3	4		
			7	0 per set.

SET No. 2.

	s.	d.	s.	d.
4—2½ lbs., No. 925—Top Mandrils = 10 lbs. @ 50/- per cwt. ...	4	6		
1—6 lbs., No. 926—Bottom Mandril @ 40/- per cwt. ...	2	2		
1—3½ lbs., No. 927 (or No. 928)—Wedge @ 30/- per cwt. ...	0	11		
1—ea. 6, 7 lbs., No. 188—Cast Steel Sledge Hammer @ -/5½ lb.	5	8		
			13	3 per set.

SET No. 3.

	s.	d.	s.	d.
3—2½ lbs., No. 925—Top Mandrils = 7½ lbs. @ 50/- per cwt. ...	3	4		
2—6 lbs., No. 926—Bottom " = 12 lbs. @ 40/- " ...	4	3		
1—3½ lbs., No. 927 (or No. 928)—Wedge @ 30/- " ...	0	11		
1—8 lbs., No. 188—Cast Steel Sledge Hammer, -/5½ per lb. ...	3	6		
			12	0 per set.

Sets of Miners' Tools varied to order.

INTERCHANGEABLE COAL MINERS' PICKS.

	1½	1¾	2	2¼	2½	2¾	3	3½ lbs.
936 H Blades only	1/5	1/7	1/8	1/10	1/11	2/1	2/2	2/5 each.
Headed Shafts, with Ferrule, 1/8 each.								Headed Shafts, without Ferrule, 1/6 each.

INTERCHANGEABLE PICKS, PICKAXES, & MATTOCKS.

4 to 5 lbs.	5 lbs. and up.
43/-	40/- per cwt.

If under 4 lbs. weight, same prices as Coal Miners' Picks.


	36	32 inch.
Headed Shafts, with Ferrule	28/-	24/- doz.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE

Engravings on this page are all quarter actual size of the weights indicated, except 936 H, which is one-eighth size of headed shaft, with $2\frac{1}{2}$ lb. blade.



925
3 lbs.



926
 $3\frac{1}{2}$ lbs.




927
4 lbs.



928
5 lbs.



188
7 lbs.



936 H



929
7 lbs.



MINING AND PLANTING BARS, RAILWAY TOOLS, &c.

No.		STEELED.	ALL STEEL.
913	Mining Bars	24/-	26/- per cwt.
914	Jumping or Mining Borers	24/-	26/- "
915	Planting Bars with Chisel and Point	26/-	28/- "
916	" " " Spade End and Point	24/-	26/- "
917	Miners' Charging Spoons	22/-	doz.
918	Miners' Unloaders	22/-	"
919	Miners' Copper Prickers ... 3 3½ 4 ft.	60/- 65/- 70/-	"
920	Miners' Best Cast-steel Octagon Drills		50/- per cwt.

921

RAIL BENDERS, OR JIM CROWS.

Screw, Frame and Head of best hammered Scrap Iron; Lever of Wrought-Iron;
Machine-Cut Square thread Screw.


				Size	1	2	3	3 A	4
To Bend Ordinary Sections Steel Rails up to				20	45	65	75	90 lbs. per yard.	
Span, centre to centre of Claws		16	20	24	24	24 inches.	
Diameter of Screw		2	2½	2½	2⅝	2¾ "	
Approximate Weight		68	105	142	156	189	
Price including Lever		50/-	70/-	100/-	120/-	140/- each.	

When ordering, a section of the Rail to be bent must be furnished.

This Bender can be made to suit any section of Tram Rail.

922	Platelayers' Rail Gauges					8/6 each.
923	" " " two sizes					5/- "
	" " " one size					4/6 "
924	" Ash Levers, shod ... 8 9 10 12½ 15 feet.	21/-	26/-	30/-	40/-	50/- each.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



COPYRIGHT.

ENT? AT STATIONERS' HALL.



WEDGES AND CROWBARS.

No.

210	Cast-steel Stone Wedges	} 36/- per cwt.
210 A	" " " " " " " " " " " "	

STEELED. CAST STEEL.

221	Wood Splitting Wedges	26/-	36/- per cwt.
222	" " " with groove	28/-	38/- "

STEELED. ALL STEEL.

224	Plain Round Crowbars, with Claw and Point ...	24/-	26/- "
225	Square and Round Tapered Crowbars, with Claw and Point	30/-	32/- "
227	Square and Round Tapered Pinch Bars	28/-	30/- "
228	Round Jumpers with Swell, double ended ...	28/-	30/- "
910	Square Road Wedges... ..	24/-	"
911	Round " " " " " " " " " " " "	26/-	"
912	Octagon " " " " " " " " " " " "	28/-	"

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



210



910



210 A



221



912



222



224



225



911



227



228



ROADMEN'S TOOLS.

PICKS, PICKAXES, MATTOCKS & ROAD HACKS.

5 lb. each and upwards.

No.		Quality.		
		A Quality. Solid Cast Steel Ends, Best Black Finish, Extra Polished Points.	B Quality. Heavily Steeled Ends, Black Finish, Polished Points.	C Quality. Steeld Ends, Self colour, Bright Points.
212	Solid oval eye Picks ...	40/-	35/-	32/- per cwt.
213	" " " Pickaxes }			
214	" " " Mattocks ...	41/6	36/6	33/6 "
657	" " " Road Hacks...	53/-	48/-	— "

EXTRA—4 to 5 lb., 3/- per cwt. extra.

ROAD SCRAPERS, ROAD RAKES, & STREET CLEANERS.

161	Improved Steel Road Scrapers dished all round, with eyes...	10 12 14 16 18 20 22 24 in. 21/- 22/- 24/- 26/- 28/- 30/- 32/- 34/- per doz.	Handled with 6ft. Ash Handles, and Sockets polished, 10/- per doz. extra.
162	Improved Steel Road Scrapers, dished at sides, with Sockets		
163	Improved Steel Road Scrapers, dished all round, with Sockets County Council Fattern.		
658	Improved Steel Road Scrapers, flat, with Sockets ...		
659	Improved Steel Street Cleaners, to push	16 18 20 in. 36/- 38/- 40/- per doz.	
Cranked Sockets, same price.			
164	Improved Solid Steel Teeth Road Rakes ...	7 8 9 10 12 14 16 teeth. 35/- 40/- 45/- 50/- 55/- — — per doz.	
	Shouldered Teeth Road Rakes	— 25/- — 30/- 35/- 40/- 45/- "	
Handled with 6 ft. Ash Handles, and Sockets polished, 10/- per doz. extra.			

WEDGES AND CROWBARS.

210	Cast Steel Stone Wedges	36/-	per cwt.
224	Plain Round Crowbars, with Claw and Point	Steeld. 24/- All Steel. 26/-	"
910	Square Road Wedges	24/-	"
911	Round " "	26/-	"
912	Octagon " "	28/-	"

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




212



214




657



161




210



162



910



163




658



224




164



659

119					132										
CAST STEEL COKE FORKS.					FURNACE PAN BITS.										
Black Square Prongs.					46/- per cwt.										
Prongs.	Width.		Length.	Per Doz.	538										
	Inches.				RETORT CHARGING SHOVELS.										
					Width.	Length.									
					Inches.	Inches.									
10	...	15	× 18	...	120/-	9 × 16	42/- per doz.						
11	...	16	× 18	...	132/-	Long handles, 3 ft. and above,									
12	...	16½	× 18	...	144/-	2/- doz. extra.									
14	...	17	× 18	...	168/-										
16	...	18	× 18	...	192/-										
Sides turned up 4/- per doz. extra.					BEST WARRANTED ANVILS.										
Prices of ♦ Prong Forks on application.															
					No.	Weights									
					from 84 lb. to 5 cwt.										
					Per cwt.										
					175	Ordinary Smith's or } 32/-									
					London Pattern ...)										
					860	Anvil, without Bick... 32/-									
					BEST WARRANTED VICES.										
					Weights from 31 lbs. up.										
					50/- per cwt.										
					Complete List of Anvils and Vices on application.										

No.	LADLES.																
165	Wrought Iron Melting Ladles—																
	No.	000	00	0	1	2	3	4	5	6	7	8	9	10	11		
		2	2½	2¾	3	3½	4	4½	5	5½	6	6½	7	7½	8 inches.		
		5/6	6/-	6/9	7/6	8/-	9/-	10/-	12/-	13/-	14/-	18/-	25/-	32/-	40/- per doz.		
167	Wrought Iron Short Shank Lead Ladles											-/6½ per lb.		
										4	4½	5	5½	6 inches.			
168	Wrought Iron Pitch and Seaming Ladles											18/-	19/-	20/-	23/-	26/-	per doz.
169	Wrought Iron Socket Lead Ladles											-/7 per lb.	
170	Wrought Iron Lead Pots, with loose Handles											-/7	"	
171	Wrought Iron Lead Pots, with fixed Handles											-/7	"	



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





SHIP CHANDLERS' TOOLS.

No.

165 Wrought Iron Melting Ladles—

Size No.	000	00	0	1	2	3	4	5	6	7	8	9	10	11	
	2	2½	2¾	3	3½	4	4½	5	5½	6	6½	7	7½	8	inches.
	5/6	6/-	6/9	7/6	8/-	9/-	10/-	12/-	13/-	14/-	18/-	25/-	32/-	40/-	per doz.

CAST STEEL ENGINEERS' HAMMERS.


201	200					201					487				
	Ball Pane.					Cross Pane.					Straight Pane.				
	1½ lbs. and up	-/10 per lb. (1/10½ per kilo.)				
	1 lb. and under	10/- per doz.				
	STOCK SIZES.														
	3	4	6	8	12	16 ozs.	1½	1½	1¾	2	2¼	2½	2¾	3 lbs.	
	·085	·113	·170	·226	·340	·450	·567	·680	·790	·907	1	1·13	1·24	1·36 kilo.	

NASH'S SOLID CAST STEEL HANDLED JOINERS' HAMMERS.

Carefully Hardened and Tempered, and all Warranted. Polished Oval Best Selected Handles.

	Size No.	0	1	2	3	4	5	6	7	8	9	10	
462		13/-	13/-	14/-	15/-	17/-	19/-	22/-	25/-	28/-	31/-	34/-	per doz.
	Heads only ...	11/-	11/-	12/-	13/-	15/-	17/-	20/-	23/-	26/-	29/-	32/-	"
		Heads 226 340 450 567 680 790 907 grammes.											
493	Nash's Improved Ship Carpenters' Hammers, Solid Punched Eyes, Stout Ash Handles	11/6	12/-	13/-	14/-	15/-	16/-	18/-	per doz.
						4	4½	5	5½	6	6½	7	inches.
868	Wrought Iron Pitch and Seaming Ladles	...	18/-	19/-	20/-	23/-	26/-	per doz.					
872	Bright Steel Marline Spikes	9	10	11	12	13	14	15	16	inches.			
	for Wire Rope	13/-	13/6	14/6	16/-	18/-	per doz.			
873	Bright Steel Marline Pins...	12/-	12/6	13/-	13/6	14/-	14/6	—	—	—	—	—	"
						4½	5	5½	6	inches.			
874	Screwed Socket Ship Scrapers, Wood Handles	...	7/6	8/-	9/-	per doz.							
875	Yacht Scrapers (Oval)	11/-	—	—	"
876	" " (Triangular)	10/6	—	—	"
877	Best Bright Finish Solid Steel Wool Hooks	20/-	—	—	"
878	" " " Bag Hooks	16/-	—	—	"
879	Best Black Finish Solid Steel Bag Hooks	21/-	—	—	"
1199	Engineers' Cast Steel Chisels, with No. 1199 Diamond,	{											
1200	No. 1200 Cross Cut, or No. 1201 Half Round												
1201	Points												
1202	Engineers' Cast Steel Chipping Chisels, flat, assorted widths												1/- " per lb.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





MASONS' AND SLATERS' TOOLS, ENGINEERS' CHISELS, &C.

No.		No. 1	2	3	4
138	Plasterers' Servers	10/6	13/6	16/6	18/- per doz.
139	Masons' Hod Sockets			15/9	"
			2 prong.	3 prong.	
140	Masons' Hair Hooks		20/-	27/-	"
141	" Mortar Larries, solid			22/6	"
1185	" Single Bolsters or Brick Dressers			18/-	"
1186	" Double Bolsters			22/-	"
1187	" Short Jointers			12/-	"
1188	" Long Jointers			16/-	"
1189	" Bright Cast Steel Line Pins			5/6	"
1190	Slaters' Block or Dressing Irons			13/6	"
1191	" Axes			40/-	"
1192	" Cast Steel Rippers			36/-	"
		6 x $\frac{1}{2}$	6 x $\frac{5}{8}$	7 x $\frac{1}{2}$	7 x $\frac{5}{8}$
1193	Octagon Cast Steel Punches for Roofing Sheets	9/-	9/6	10/-	10/6
				7 x $\frac{5}{8}$	8 x $\frac{5}{8}$
1194	Octagon Cast Steel Chisels for Roofing Sheets		10/6	11/-	12/-
					8 x $\frac{3}{4}$ inch.
1195	Masons' Cast Steel Mallet Head Chisels				-/9 $\frac{1}{2}$ per lb.
1196	" " " Points				-/9 $\frac{1}{2}$ "
1197	" " Hammer Head Pitching Tools				-/9 $\frac{1}{2}$ "
1198	" " " Chisels				-/9 $\frac{1}{2}$ "
1199	{ Engineers' Cast Steel Chisels, with No. 1199 Diamond, No. 1200 Cross Cut, or No. 1201 Half Round Points...				
1200					1/-
1201					"
1202	Engineers' Cast Steel Chipping Chisels, flat, assorted widths			1/-	
1203	Cast Steel Caulking Chisels, for Gas Mains			1/-	

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



138



139



140




1185



1186



1187



141




1188



1189



1190



1191



1192



1193



1194



1195



1196



1197



1198



1199



1200



1201



1202



1203



SECTION IX.



AXLES, CART-ARMS, AND SPRINGS.



COACH AXLES.

No.	SIZE TO—	1	1 1/8	1 1/4	1 1/2	1 3/4	1 7/8	1 3/4	1 7/8	2	2 1/8	2 1/4	2 1/2	2 3/4	inches.
228	Long Bolt Mail Axles, with ordinary cast-iron boxes	22/-	24/-	26/-	29/-	32/-	38/-	46/-	55/-	65/-	75/6	86/6	102/-	120/-	PER AXLE OF TWO ARMS.
	Coach Long Bolt Mail Axles, fitted with chilled boxes and Collinge's caps. Special quality and finish	25/-	27/-	29/-	32/6	35/6	41/6	50/-	59/-	69/6	81/-	92/6	109/6	129/-	
	Short Bolt Mail Axles, with ordinary cast-iron boxes	24/-	26/-	28/-	31/-	34/-	40/-	48/-	57/-	67/6	77/6	88/6	104/-	122/-	
234	Screwed End Nut Axles, with square nuts, long beds, 24 to 30 ins. long	15/6	18/-	20/6	24/-	29/6	34/-	41/6	48/-	58/-	—	85/-	—	124/-	
	Short beds, 6 to 12 inches long	13/-	15/-	17/-	20/-	24/6	28/6	34/6	40/-	48/6	—	71/-	—	103/-	
	Extra for Carron Boxes	1/6	1/6	1/6	1/6	1/6	2/-	2/-	2/-	—	—	2/6	—	2/6	
235	Collinge Patent Axles, with ordinary cast-iron boxes	33/-	36/-	39/-	43/-	48/6	57/6	66/-	77/6	92/-	105/6	120/6			
236	Coach Collinge Axles, fitted with chilled boxes. Special quality and finish	36/-	39/-	42/6	46/6	52/-	61/-	70/-	81/6	96/-	111/-	125/6			
237	Imitation Collinge Axles with single nut and collet and Collinge collar	32/-	35/-	38/-	42/-	47/6	56/6	65/-	76/6	91/-					
238	Imitation Collinge Axles with single nut and collet, and mail collar	30/-	33/-	36/-	40/-	45/6	54/6	63/-	74/6	89/-					

A Key is sent with each Axle or Pair of Arms.


EXTRAS.

Plain and Caulked Flaps ...	6/-	6/6	7/-	7/6	8/6	9/6	11/-	13/-	15/-	17/-	20/-	25/-	30/-		PER AXLE OF TWO ARMS.
Butterfly or Square Flaps	10/6	10/6	11/-	11/6	12/6	14/-	16/-	18/-	20/-	24/-	28/-	34/-	40/-		
Flapping on Angle, Caulked or Butterfly	3/-	3/-	3/-	3/-	3/6	3/6	3/6	4/-	4/-	4/6	5/-	6/6	8/-		
Cranks up to 6 in. deep	15/-	16/-	18/-	19/-	20/-	25/-	30/-	36/-	42/-	49/-	63/-	85/-	110/-		
Cranks over 6 in. deep per inch	1/9	1/9	2/-	2/-	2/3	2/3	2/9	3/3	4/-	4/6	5/3	6/6	8/6		
Swept Axles, 3 in. to 6 in. deep	7/6	8/-	9/-	9/6	10/-	12/6	15/-	18/-	21/-	24/6	31/6	42/6	55/-		
Swept Axles, over 6 in. deep per inch	1/9	1/9	2/-	2/-	2/3	2/3	2/9	3/3	4/-	4/6	5/3	6/6	8/6		
Shutting up Straight Axles	2/-	2/-	2/-	2/6	2/6	3/-	3/-	3/6	5/-	6/-	7/-	9/-	12/-		
Shutting up Cranked Axles, to 12 in. deep	2/6	2/6	2/6	3/6	4/-	4/6	5/-	6/-	7/-	8/6	10/-	13/-	17/-		
Shutting up Cranked Axles, over 12 in. deep	3/-	3/-	3/-	4/-	5/-	5/6	6/-	7/-	8/-	10/-	12/-	15/-	20/-		
Wrought-iron Boxes for Mail and Collinge Axles	7/-	8/-	9/-	10/-	11/6	13/-	15/6	18/-	21/-	22/6	24/-	25/6	27/-		
Oil Screws in Caps ...	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-		
Plating Caps ...	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	2/6	3/-		
Engraving Caps ...	1/6	1/6	1/6	1/6	1/6	1/6	2/6	1/6	1/6	1/6	1/6	1/6	1/6		


SPARE PARTS.

Mail and Collinge Boxes, wrought-iron	11/6	11/6	13/6	14/6	15/6	18/6	21/-	25/-	30/-	38/-	46/-	55/-	75/-	per box.
Mail Boxes, cast-iron	5/-	5/-	5/6	6/-	6/6	7/6	8/6	9/6	11/6	13/6	16/-	22/-	30/-	"
Mail Boxes, Chilled	7/-	7/-	8/-	9/-	10/-	11/-	12/-	15/-	18/-	22/-	26/-	32/-	40/-	"
Extra if fitted to Axle	1/-	1/-	1/-	1/-	1/-	1/6	1/6	1/6	1/6	2/-	2/-	3/-	4/-	"
Mail Caps	2/6	2/6	3/-	3/-	3/6	3/6	4/-	4/-	5/-	5/6	6/6	8/-	10/-	per cap.
Collinge Boxes, cast-iron	6/-	6/-	6/6	7/-	7/6	8/6	9/6	10/6	12/6	14/6	18/-	24/-	35/-	per box.
Collinge Boxes, Chilled	9/-	9/-	10/-	10/6	11/6	13/-	14/-	16/-	19/-	22/-	27/-	36/-	52/6	"
Extra if fitted to Axle	1/6	1/6	1/6	1/6	1/6	2/-	2/-	2/-	2/-	2/6	3/-	4/-	5/-	"
Collinge Caps	3/-	3/-	3/6	3/6	4/-	4/6	5/-	5/6	6/-	6/6	8/-	11/-	13/-	per cap.
Collinge Nuts and Collett	1/6	1/6	1/9	1/9	2/-	2/-	2/6	3/-	4/-	5/-	6/-	7/-	8/-	nut or c'lett
Mail Keys	1/-	1/3	1/3	1/6	1/6	1/9	2/-	2/3	2/6	3/-	3/6	4/-	5/-	per key.
Collinge Keys	2/-	2/-	2/3	2/3	2/6	2/6	2/9	2/9	3/-	3/3	3/6	4/-	5/-	"

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



228



228 (Section)



Mail Key.



Mail Box.



235



236 (Section.)



Colling Key.



Colling Box.




237



238 (Section.)



234



Long Bolt Mail Axle, with Caulked Flap.




Plain Flap with Holes.




Caulked Flap*



Butterfly Flap.




Bevelled Crank, Straight Bed,
Butterfly Flap on Top Corner.




Plain Crank.

Depth of Crank is measured from Centre to Centre.



Bevelled Crank, Swept Bed,
Butterfly Flap on Top Corner.



Round Crank,
Flap on Top Corner.


SHOWFUL AND CLARENCE AXLES.

No.						
239	NUT SHOWFUL AXLES, Caulked Flaps and Shut up	1 1/2	1 1/2 inch.	40/-	45/-	per axle.
240	NUT CLARENCE AXLES,	1 3/4	1 3/4 inch.	62 6	62 6	per set of 2 axles.
970	COLLIGE PATENT SHOWFUL AXLES, Chilled Boxes, Caulked Flaps, and Shut up	1 1/2	1 1/2 inch.	63/-	73 6	per axle.
	COLLIGE PATENT SHOWFUL AXLES, Chilled Boxes, Butterfly Flaps, and Shut up	67/-	78/-			
971	COLLIGE PATENT CLARENCE AXLES, Chilled Boxes, Butterfly Flaps, and Shut up	1 1/4	1 3/4 inch.	111/-	121/-	per set of 2 axles.
	COLLIGE PATENT CLARENCE AXLES, Chilled Boxes, Caulked Flaps, and Shut up	103/-	113/-			

AXLE CLIPS.

	No. 972 with holes.	No. 973 caulked.	
For 1	1 1/2	1 1/2	1 1/2 in. axles.
2/-	2 6	3 10	5/- per pair.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE





OMNIBUS AXLES.

SPECIAL QUOTATIONS WILL BE FURNISHED ON RECEIPT OF PARTICULARS
OF REQUIREMENTS.

STANDARD LENGTHS OF BOXES AND CAPS.

LONG BOLT MAIL AXLES.

	Size	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$ inch.
Length of Box	7	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10	10 $\frac{1}{2}$	11	11 $\frac{1}{2}$	12 "
" " and Cap		7 $\frac{3}{4}$	8 $\frac{1}{4}$	9	9 $\frac{1}{2}$	10	10 $\frac{1}{2}$	11 $\frac{1}{4}$	11 $\frac{3}{4}$	12 $\frac{1}{4}$	13	13 $\frac{1}{2}$ "

COLLIDGE AXLES.

Length of Box	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10	10 $\frac{1}{2}$	11	11 $\frac{1}{2}$	12	12 $\frac{1}{2}$ "
" " and Cap		8 $\frac{1}{4}$	9 $\frac{1}{8}$	9 $\frac{3}{8}$	10 $\frac{1}{8}$	11 $\frac{1}{8}$	11 $\frac{3}{8}$	12 $\frac{1}{8}$	13	13 $\frac{1}{2}$	14 $\frac{1}{4}$	14 $\frac{3}{4}$ "

IMITATION COLLIDGE AXLES.

Length of Box	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10	10 $\frac{1}{2}$	11	11 $\frac{1}{2}$	12	12 $\frac{1}{2}$ "
" " and Cap		8 $\frac{1}{4}$	9 $\frac{1}{8}$	9 $\frac{3}{8}$	10 $\frac{1}{8}$	11 $\frac{1}{8}$	11 $\frac{3}{8}$	12 $\frac{1}{8}$	13	13 $\frac{1}{2}$	14 $\frac{1}{4}$	14 $\frac{3}{4}$ "

DRABBLE'S VAN ARMS (London Pattern).

	Size	1 $\frac{1}{2}$	1 $\frac{3}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{4}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$	2 $\frac{5}{8}$	2 $\frac{3}{4}$	2 $\frac{7}{8}$	3 "
Length of Box	7 $\frac{1}{2}$	8	9	9	9 $\frac{1}{2}$	9 $\frac{1}{2}$	10	10	10 $\frac{1}{2}$	10 $\frac{1}{2}$	11	11	11 $\frac{1}{2}$ "
" " and Cap		9 $\frac{1}{4}$	10	11	11	12	12	12 $\frac{1}{2}$	12 $\frac{1}{2}$	13 $\frac{1}{2}$	13 $\frac{1}{2}$	14	14	14 $\frac{1}{4}$ "

SCREWED END NUT AXLES.


	Size	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$ "
Length of Box	4 $\frac{1}{2}$	5	5 $\frac{1}{2}$	6 $\frac{1}{2}$	7	7 $\frac{1}{2}$	8	8 $\frac{1}{2}$	9	9 $\frac{1}{2}$	10	10	10	11	11 "

CART ARMS.


	Size	1 $\frac{1}{2}$	1 $\frac{3}{8}$	1 $\frac{1}{4}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{3}{8}$	2 $\frac{1}{2}$	2 $\frac{5}{8}$	3 "
Length of Box	8	8 $\frac{1}{2}$	9	10	10	10	11	11	11	12 "

Any deviation from above must be clearly stated on Order.



ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE




974 Front.




974 Hind.



975 Front.



975 Hind.





DRABBLE'S VAN ARMS AND AXLES.

No.	SIZE—	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	1 $\frac{3}{4}$	1 $\frac{7}{8}$	2	2 $\frac{1}{8}$	2 $\frac{1}{4}$	2 $\frac{1}{2}$	2 $\frac{3}{4}$	3	inch.
247	London Pattern, Flat Beds, Black	32/-	34/-	36/-	40/-	44/-	47/-	50/-	53/-	56/-	62/-	72/-	85/-	per pair.
248	Long Flat Beds, Black, for shutting up	34/-	36/6	39/-	43/6	48/-	52/-	55/-	58/6	62/-	70/-	80/6	100/-	per axle of 2 arms
	Scotch Edge Beds, Black, for shutting up	34/-	36/6	39/-	43/6	48/-	52/-	55/-	58/6	62/-	70/-	80/6	100/-	"
249	Round Beds, Black, for shutting up	34/-	36/6	39/-	43/6	48/-	52/6	57/6	61/6	66/-	77/6	91/-	115/-	"
250	Square Beds, Black, for shutting up	35/-	37/6	40/-	45/-	50/-	55/-	60/-	65/-	70/-	85/-	100/-	125/-	"
976	Yorkshire Pattern, Flat Beds, Black	29/-	31/-	32/6	36/-	40/-	42/6	45/-	48/-	51/-	56/-	65/-	77/6	per pair.
	Length of Beds not to exceed	13	13	13	14	14	15	15	16	16	17	18	19	inches.

A Key is sent with each Axle or Pair of Arms.

EXTRAS.

Cranked to 6 inches deep, Black	53/-	55/6	59/-	68/6	77/-	86/6	96/6	106/-	117/-	142/-	170/-	215/-	per Axle of 2 arms
Cranks over Gins, deep Black, per inch	2/-	2/-	2/-	2/-	2/6	2/6	2/6	3/-	4/-	4/6	5/6	6/6	"
Screwed Ends, V Thr'd	2/-	2/-	2/-	2/-	2/6	2/6	2/6	3/-	3/-	3/6	3/6	4/-	"
" " Sq. Thr'ds	4/-	4/-	4/-	4/-	5/-	5/-	5/-	6/-	6/-	7/-	7/-	8/-	"
Collinge Collars ...	7/-	7/6	8/-	9/-	12/-	15/-	22/6	30/-	40/-	50/-	60/-	70/-	"
Plain or Caulked Flaps, Black	7/-	7/-	7/-	9/-	10/6	11/6	13/-	15/-	17/-	20/-	24/-	29/-	"
Butterfly Flaps, Black	10/6	10/6	11/6	13/-	15/-	17/-	19/-	23/-	27/-	39/-	45/-	60/-	"
Shutting up Straight Axles	2/-	2/6	2/6	3/-	3/6	4/-	5/-	6/-	7/-	8/-	9/-	10/-	"
Shutting up Cranked Axles to 12ins. deep	2/6	3/6	4/-	4/6	5/-	6/-	7/-	8/6	10/-	15/-	20/-	25/-	"
Shutting up Cranked Axles, above 12ins. deep	3/-	4/-	5/-	6/-	7/-	8/-	9/-	10/-	12/-	17/6	25/-	30/-	"
Swells in Centre ...	4/6	4/6	5/-	5/6	6/-	6/-	7/-	7/-	7/6	9/-	11/-	15/-	"
Making Interch'ng'able	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	"
Oil Screws in Caps ...	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	3/-	"
Engraving Caps ...	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	"

SPARE PARTS.

Boxes ...	3/6	4/-	4/6	5/-	5/6	6/-	6/6	7/-	7/6	8/-	10/-	12/-	per box.
Boxes, extra if fitted to Axle	1/-	1/-	1/-	1/-	1/3	1/3	1/3	1/6	1/6	1/6	2/-	2/6	"
Caps ...	3/-	3/6	4/-	4/6	5/-	5/6	6/-	6/6	7/-	8/-	9/-	10/-	per cap.
Collett and Pin ...	3/-	3/3	3/6	3/9	4/-	4/3	4/6	4/9	5/-	5/6	6/-	6/6	collett and pin
Keys ...	1/6	1/9	2/-	2/-	2/3	2/6	2/6	2/9	3/-	3/-	3/6	3/6	per key.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



247




248 L F




249



976




Drabble's Plain Cranked Van Axle,
with Caulked Flap on Top Corner
of Crank.



Round Crank,
Flap on Top Corner.

Depth of Crank is measured from Centre to Centre.



Bevelled Crank, Swept Bed,
Butterfly Flap on Top Corner.



Bevelled Crank, Straight Bed,
Butterfly Flap on Top Corner.



250 (Shut Up)

TURNED CART ARMS & BOXES, ^{Size}
with Steeled Bearings:—

No.	with Steel Bearings:—	Size	1½	1½	1¾	2	2¼	2½	2¾	3	Per axle of 2 arms.	
241	Ordinary Pattern	...	14/-	16/-	18/-	20/-	23/-	26/-	29/-	33/-	38/- 45/- 55/-	
242	Scotch Edge Beds, for shutting-up	...	}	17/-	19/6	22/-	25/6	29/-	32/6	36/-	40/6 46/- 54/- 65/-	
243	Long Flat Beds	"		18/6	21/6	24/6	28/6	34/6	39/6	45/-	51/6 59/6 72/- 94/-	
244	Round Beds	"		14/-	16/-	18/-	20/-	23/-	26/-	29/-	33/- 38/- 45/- 55/-	
245	Square Beds	"	2/-	2/6	3/-	3/3	3/3	3/6	3/9	4/-	4/6 5/6 6/-	
246	Lancashire Pattern	...	per pair.									
	Spare Boxes...	...	per box.									
	Magg's Pattern Boxes, same price.	...										
	EXTRAS.	...										
	Solid Collars	...	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	2/-	
	Plain or Caulked Flaps	...	7/-	9/-	10/6	11/6	13/-	15/-	17/-	18/6	20/- 24/- 29/-	
	Cranked to 6 inch deep	...	40/-	45/-	50/-	60/-	70/-	80/-	90/-	105/-	120/- 145/- 185/-	
	Extra per inch beyond 6 inch deep	...	2/-	2/-	2/6	2/6	2/6	3/-	4/-	4/-	4/6 5/6 6/6	
	Shutting up Straight Axles	...	2/6	3/-	3/6	4/-	5/-	6/-	7/-	7/6	8/- 9/- 10/-	
	" Cranked Axles to 12 inch deep	...	4/-	4/6	5/-	6/-	7/-	8/6	10/-	12/6	15/- 20/- 25/-	
	" above 12 inch deep	...	5/-	6/-	7/-	8/-	9/-	10/-	12/-	14/9	17/6 25/- 30/-	
	Swelled Centre with hole	...	5/-	5/6	6/-	7/-	7/-	7/6	8/3	9/-	11/- 15/-	
	" Carron " Boxes	...	1/6	2/-	2/-	2/-	2/-	2/6	2/6	2/6	3/- 3/-	

Nos.

Nos. 251 and 252.	SCOTCH AND IRISH CART AXLES AND BOXES IN ARMS.									
	2 inch and upwards.					3 inch.				
	Case hardened					Steel				
	Size	1 1/2	1 3/4	1 7/8	2	2 1/4	2 1/2	2 3/4	3	3 1/4
Spare Boxes	...	3/6	4/-	4/3	4/6	4/9	5/-	5/6	6/6	7/- per box.
Swells in Centre	...	5/-	5/6	6/-	6/-	7/-	7/-	7/6	9/-	15/- per axle of 2 arms.
Shutting-up	...	If fitted with "Carron" Boxes ... 1/6 per cwt.								
EXTRAS—	3/- per cwt.									

EXTRAS—

No. 986 , Linch.	No. 987 , Body.					
		CART CLOUDS.				
		2 3 4				
		10/- 11/6 14/-		5 6 7		8 lbs.
		Steeld, 16/- per gross extra.		17/- 20/- 23/-		26/- per gross.

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE



"Linch Pin, Collet and Box.



Swelled Centre with Hole.



986



987



246



Magg's Pattern Box.



241



242 (Shut-up.)




243 (Shut-up.)



245 (Shut-up.)



251 (Shut-up)



252 (Shut-up.)

In ordering Shut-up Axles the distance from Bush to Bush should be stated.



BEST FITTED AND FINISHED SPRINGS,

Made from Steel of Reliable Quality, suitable for Carts, Vans, Luries, Carriages, &c.

No.	4 PLATES AND UP.		1½	1½	1¾	2	2½ and 2½ in.
100	Ordinary Cart, Eyes down }	Black ..	34/-	30/6	27/-	25/6	24/- per cwt.
103	Wagon, Eyes up }	Bright ..	43/-	39/-	35/-	33/-	31/- "
	Small Cart Springs (Truck	3 plates, Black ..	5/6	5/9	6/6	7/6	8/- per pair.
	Springs), also Back and	4 plates, " ..	6/9	7/9	8/3	9/3	10/- "
	Check Springs ..	5 plates, " ..	8/3	9/6	10/-	11/6	12/6 "
	4 PLATES AND UP.						
104	Elliptic or Brougham Springs,	Black ..	45/-	42/-	39/6	37/-	35/- per cwt.
		Bright ..	54/-	51/-	48/-	45/-	42/- "
	3 plates, Black ..	16/3	17/-	—	—	—	— per pair.
		Bright ..	18/6	19/6	—	—	— "
	2 plates, Black ..	13/-	13/6	—	—	—	— "
		Bright ..	14/6	15/-	—	—	— "

EXTRAS. Open Heads, 1/8 each; India-Rubber Eyes, with Gun-metal Bearings, 1/- each;
Open Heads, with India-Rubber Eyes and Gun-metal Bearings to
Brougham Springs, 10/- per set of 4 Springs.

SCROLL IRONS, &c.

			For Springs 1½	1½	1¾	2	2½	2½ in.
200	Ordinary, ⅝ in. Bolt	5/3	5/3	5/8	6/-	—	— per set of 4.
	¾ in. "	—	—	6/-	6/6	6/9	— " "
	1 in. "	—	—	—	9/-	10/-	11/9 " "
201	Branch, } ⅝ in. Bolt	..	—	9/8	11/4	12/-	—	— " "
	¾ in. "	—	10/-	11/9	13/-	13/9	14/6 " "
202	Ell Flap, } ⅝ in. "	8/9	9/3	9/6	—	—	— " "
	¾ in. "	—	—	9/9	10/6	11/3	— " "
203	Globe } ⅝ in. "	—	9/8	10/6	11/4	—	— " "
204	Bridge } ¾ in. "	—	10/-	11/-	12/-	12/6	13/6 " "
	1 in. "	—	—	11/9	13/-	13/6	13/9 " "
205	Plate and Barrel- } ⅝ in. Bolt	7/-	7/6	7/9	9/6	—	—	— " "
	Plate Scrolls or } ¾ in. " ..	—	—	9/-	10/-	11/-	11/6	— " "
	Dumb-Jacks ..	1 in. " ..	—	—	11/-	11/9	13/-	— " "
206	Bolted D Shackles ..	1½ 1½ 1¾ by ⅝ 1¾ by ¾ 2 by ⅝ 2 by ¾ 2½ by ¾ 2½ by 1 inch.	1/8 1/9 1/11 2/- 2/1 2/2 2/3 2/6 per set of 4					
302	Half Round Spring Clips							
	Wide. Deep. Per Doz.	Wide. Deep. Per Doz.	Wide. Deep. Per Doz.	Wide. Deep. Per Doz.	Wide. Deep. Per Doz.	Wide. Deep. Per Doz.	Wide. Deep. Per Doz.	Per lb.
	1½ by 2½ in., 4/9	1½ by 2½ in., 5/5	1¾ by 2½ in., 5/9	1¾ by 4 in., 6/6	1¾ by 3½ in. & up, -/5½			
	1½ by 3 " 5/-	1½ by 3 " 5/6	1¾ by 3 " 6/1	2 by 3 " 6/6	2 by 3½ " " -/5½			
		1½ by 3½ " 5/8	1¾ by 3½ " 6/4		2½ in. " " -/5			
					2½ " " " -/5			

ISAAC NASH & SONS · Wollaston Mills · STOURBRIDGE

Ordinary Cart Spring, No. 100, and Scroll Irons.

FRONT SCROLL, No. 200 F.

HIND SCROLL, No. 200 H.



302




Ordinary Cart Spring, No. 100, with Front Ordinary Scroll and Hind Globe Scroll.

FRONT SCROLL, No. 200 F.


HIND SCROLL, No. 203 H.




203 F



206



Pair of Ordinary Cart Springs, No. 100, with Front Scrolls, No. 200 F, D Shackles, No. 206, and back Spring



205 H




204

BRIDGE (FRONT).



103




BARREL BRIDGE (HIND).



104



202



FRONT.

201

HIND



WEIGHT LIST.

CART, VAN, AND CARRIAGE SPRINGS.

CART SPRINGS, No. 100.					VAN SPRINGS, No. 103.				
Eyes down.					Eyes up.				
$\frac{1}{4}$ in. Plates with $\frac{5}{16}$ Top Plates.					$\frac{5}{16}$ in. Plates with No. 2 G Top Plates.				
Width. Inches.	Plates.	Length. Inches.	Approx. Weight per pair. lbs.	* To carry per pair. cwts.	Width. Inches.	Plates.	Length. Inches.	Approx. Weight per pair. lbs.	* To carry per pair. cwts.
1 $\frac{3}{4}$	4	44	35	5	2	6	36	56	15
1 $\frac{3}{4}$	5	44	41	6	2	6	39	62	14
1 $\frac{3}{4}$	5	46	45	6 $\frac{1}{2}$	2	6	42	66	13
1 $\frac{3}{4}$	5	48	47	6	2	7	39	69	16
1 $\frac{3}{4}$	6	48	56	7	2	7	42	72	15
1 $\frac{3}{4}$	6	50	60	6 $\frac{1}{2}$	2	7	45	76	14
2	4	36	36	8	2	8	42	80	17
2	5	46	51	8	2	8	45	84	15
2	5	48	54	7 $\frac{1}{2}$	2	8	48	90	13
2	6	48	61	9	2 $\frac{1}{4}$	7	36	75	21
2	6	50	64	8 $\frac{1}{2}$	2 $\frac{1}{4}$	7	39	79	20
CROSS (BACK) SPRINGS.					2 $\frac{1}{4}$	7	42	83	18
1 $\frac{1}{2}$	4	34	12	2 $\frac{1}{2}$	2 $\frac{1}{4}$	8	39	96	23
1 $\frac{3}{4}$	5	36	18	4	2 $\frac{1}{4}$	8	42	100	21
1 $\frac{3}{4}$	5	38	19	3 $\frac{3}{4}$	2 $\frac{1}{4}$	8	45	104	20
2	5	36	20	5	2 $\frac{1}{4}$	9	42	111	25
2	6	38	21	6 $\frac{1}{2}$	2 $\frac{1}{4}$	9	45	117	24
					2 $\frac{1}{4}$	9	48	123	22
ELLIPTIC SPRINGS, No. 104.					1 $\frac{1}{2}$	5	36	60	13
1 $\frac{1}{4}$	4	34	40	8 $\frac{1}{2}$	1 $\frac{1}{2}$	5	38	66	12
1 $\frac{1}{4}$	4	36	44	7	1 $\frac{3}{4}$	4	32	56	10 $\frac{1}{2}$
1 $\frac{1}{4}$	5	36	52	10 $\frac{1}{2}$	1 $\frac{3}{4}$	4	34	60	10
1 $\frac{1}{4}$	5	38	54	9 $\frac{1}{2}$	1 $\frac{3}{4}$	4	36	63	9 $\frac{3}{4}$
1 $\frac{1}{4}$	6	38	63	12 $\frac{1}{2}$	1 $\frac{3}{4}$	5	36	70	14
1 $\frac{1}{4}$	6	40	65	12	1 $\frac{3}{4}$	5	38	74	13
1 $\frac{1}{2}$	4	32	45	10 $\frac{1}{2}$	2	6	36	88	21
1 $\frac{1}{2}$	4	34	49	10	2	6	38	91	20
1 $\frac{1}{2}$	4	36	54	9 $\frac{3}{4}$	2	6	40	93	19

*These are the **total** approximate weights the Springs will carry; i.e., the weight of both body of vehicle and load, so that in ordering Springs for a vehicle intended to carry a certain maximum load, allowance must be made for weight of body.





